



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	17/06/2020 15:15 pm
Date and time of reporting (dd/mm/yyyy)	18/06/2020 13:47 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	KASARVADAVALI

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C9209	UBAID SHAH	25	M	18.06.2020	Negative
C9210	ABDULLAH SYIED	35	M	18.06.2020	Negative
C9211	DHAWAL GHONE	40	M	18.06.2020	Negative
C9212	KANTILAL JADHAV	39	M	18.06.2020	Negative
C9213	JAYESH DOIPHODE	45	M	18.06.2020	Negative
C9214	JASBIR KUNNER	40	M	18.06.2020	Negative
C9215	ABDUL SHAIKH	44	M	18.06.2020	Negative
C9216	ABDUL ANWAR	32	M	18.06.2020	Negative
C9217	IFTIKHAR ANSARI	37	M	18.06.2020	Negative
C9218	ANANTA CHAWAN	36	M	18.06.2020	Negative
C9231	PRADEEP VENGURLEKAR	49	M	18.06.2020	Negative
C9232	PRAMOD PAWAR	50	M	18.06.2020	Negative
C9233	TULSIDAS YASHWANT BORSE	55	M	18.06.2020	Negative
C9234	BASAM BASIR ULDE	31	M	18.06.2020	Negative
C9235	NASEER MOHHAD ALI SAYED	40	M	18.06.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	17/06/2020 15:15 pm
Date and time of reporting (dd/mm/yyyy)	18/06/2020 13:47 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	KASARVADAVALI

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C9226	DNYANESHVAR BHAJAD	26	M	18.06.2020	Negative
C9227	MANGESH GHODGE	22	M	18.06.2020	Negative
C9228	MAHADEV KAMBLE	39	M	18.06.2020	Negative
C9229	SHAFIULLAH SHAIKH	38	M	18.06.2020	Negative
C9230	SANDEEP TAUR	33	M	18.06.2020	Negative
C9219	JITENDRA GOAD	38	M	18.06.2020	Negative
C9220	ARJUN DUDHALE	26	M	18.06.2020	Negative
C9221	VIVEK MORE	28	M	18.06.2020	Negative
C9222	BEVERLY JONATHAN	37	M	18.06.2020	Negative
C9223	SADASHIV BANGERO	58	M	18.06.2020	Negative
C9224	YASEEN TAMBE	25	M	18.06.2020	Negative
C9225	SANJAY DESAI	46	M	18.06.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)