

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	11/08/2020 15:30 pm		
Date and time of reporting (dd/mm/yyyy)	12/08/2020 16:50 pm		
SPECIMEN DETAILS	Nasopharyngeal Swab		
NAME OF QUARANTINE CENTER / HOSPITAL	KISAN NaGAR HEALTH CENTER		

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C21158	SHRIRAM YADAV BB-108	58	М	12.08.2020	Negative
C21159	DATTATRAY SHANKAR MAHADIK B-1367	48	М	12.08.2020	Negative
C21160	SWAROOP PRAKASH JADHAV B- 1365	07	М	12.08.2020	Negative
C21161	YUVRAJ KUMBHAR B-1362	36	М	12.08.2020	Positive
C21162	SHAILAJA WALUNJ B-1364	38	F	12.08.2020	Negative
C21163	KASTURI PRAKASH JADHAV B- 1366	13	F	12.08.2020	Negative
C21164	JOSEPH SELVIN D'SOUZA B-1374	51	М	12.08.2020	Negative
C21165	MARUTI GOLLAR B-1376	42	М	12.08.2020	Negative
C21166	RENUKA MARUTI GOLLAR B-1377	36	F	12.08.2020	Positive
C21167	NIRMALADEVI YADAV B-1378	52	F	12.08.2020	Negative
C21168	PRIYANKA LADE B-1381	31	F	12.08.2020	Negative
C21169	ASHUTOSH LADE B-1382	29	М	12.08.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional
 testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shauro Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)