



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	21/07/2020 11:30 am
Date and time of reporting (dd/mm/yyyy)	22/07/2020 12:47 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HORIZONE SCHOOL

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C16802	SHANTABAI GAIKWAD 304	55	F	22.07.2020	Negative
C16803	PRAFULLA DEVALEKAR 303	38	F	22.07.2020	Negative
C16804	SURESH BHISE 404	48	M	22.07.2020	Negative
C16805	SACHIN MAHADIK 402	63	M	22.07.2020	Negative
C16806	SANCHITA MAHADIK 302	36	F	22.07.2020	Negative
C16807	SWANANDI MAHADIK 302	11	F	22.07.2020	Negative
C16808	GULABCHAND GUPTA 416	44	M	22.07.2020	Negative
C16809	VIKAS CHAUHAN 415	30	M	22.07.2020	Negative
C16810	SADHANA PADGHADE 303	54	F	22.07.2020	Negative
C16811	MAYURI BHAVSAR 302	35	F	22.07.2020	Negative
C16812	MANGESH DANDEKAR 416	52	M	22.07.2020	Negative
C16813	KALAVATI KOLI 312	75	F	22.07.2020	Negative
C16814	CHANDRABHAGA KOLI 312	80	F	22.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)