

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601 **RT-PCR Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	05/10/2020 12:00 pm		
Date and time of reporting (dd/mm/yyyy)	05/10/2020 19:52 pm		
SPECIMEN DETAILS	Oropharyngeal Swab		
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD		

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
CT235	RASHMI RAJENDRA ZAGADE 17347/A5013	42	F	05.10.2020	Negative
CT236	SHRADDHARAVINDRA GURJAR 17352/A5021	21	F	05.10.2020	Negative
CT237	RAJENDRA ANANT JHAGDE 17343/A5030	49	M	05.10.2020	Negative
CT239	VINAYA RAJENDRA ZAGADE 17348/A5017	16	F	05.10.2020	Negative
CT240	ANANT BABU ZAGADE 17345/A5012	79	M	05.10.2020	Negative
CT242	SAMSAD MOMIN 17365/A5014	36	M	05.10.2020	Negative
CT244	MANISH NANA WALANJ 17368/A5036	40	М	05.10.2020	Negative
CT245	FATIMA IQBAL KHAN 17351/A5023	46	F	05.10.2020	Negative
CT246	RAJESH KUMAR GUPTA 17350/A5024	56	М	05.10.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- · Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Verified by

Shaws

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)

Dr. Shalmali Dharma Ph. D