



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	01/07/2020 17:30 pm
Date and time of reporting (dd/mm/yyyy)	03/07/2020 15:21 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C12220	GANESH HARISHCHANDRA PAWAR	34	M	03.07.2020	Positive
C12221	KISHOR HARISHCHANDRA SHINDE	37	M	03.07.2020	Positive
C12222	SHRIRAM GOVIND DHAKANE	60	M	03.07.2020	Positive
C12223	SATISH NARAYAN NICHITE	33	M	03.07.2020	Negative
C12224	JUBER GULAM SHAIKH 875	36	M	03.07.2020	Negative
C12225	NARESH EKNATH NICHITE 900	28	M	03.07.2020	Positive
C12226	DR PRAKASH DIGAMBAR DURGIDE	56	M	03.07.2020	Positive
C12227	DIPALI PANDURANG CHAVAN	22	F	03.07.2020	Negative
C12228	RAKHMABAI KISAN CHAVAN	75	F	03.07.2020	Negative
C12229	RANJANA PANDURANG CHAVAN	42	F	03.07.2020	Negative
C12230	SAGAR PANDURANG CHAVAN	18	M	03.07.2020	Negative
C12231	HEMANT PANDURANG CHAVAN	17	M	03.07.2020	Negative
C12232	RAJARAM ANANTA DONDE	18	M	03.07.2020	Positive
C12233	PADMA RAJARAM DONDE	50	F	03.07.2020	Positive
C12234	ASMITA DNYANESHWAR PALWE	31	F	03.07.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	01/07/2020 17:30 pm
Date and time of reporting (dd/mm/yyyy)	03/07/2020 15:21 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C12235	SAHIL SHARAD JAGTAP	17	M	03.07.2020	Positive
C12236	SAKSHI SHARAD JAGTAP	13	F	03.07.2020	Negative
C12237	AJINKYA ASHOK KARDAK	17	M	03.07.2020	Negative
C12238	ASHOK KESHAV KARDAK	40	M	03.07.2020	Negative
C12239	VANITA ASHOK KARDAK	36	F	03.07.2020	Negative
C12240	KANTABAI KESHAV KARDAK	60	F	03.07.2020	Positive
C12241	MANJULABAI PARSHURAM JADHAV 938	45	F	03.07.2020	Positive
C12242	PRAKASH TUKARAM PANDIT 901	62	M	03.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)