

# NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

### COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

#### **Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	29/07/2020 18:35 pm
Date and time of reporting (dd/mm/yyyy)	30/07/2020 18:03 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C18729	SARASVATI A. INGLE	20	F	30.07.2020	Negative
C18730	AVINASH S. INGLE	25	М	30.07.2020	Positive
C18731	ANSHUMAN A. INGLE	15	М	30.07.2020	Positive
C18732	SURESH HARI INGLE	53	М	30.07.2020	Positive
C18733	GANESH INGLE	23	М	30.07.2020	Negative
C18734	SHASHIKANT BHAVSAR	57	М	30.07.2020	Negative
C18735	ASHWINI BHAVSAR	26	F	30.07.2020	Negative
C18736	TANAY BHAVSAR	5	М	30.07.2020	Negative
C18737	SUNIL D. KHANDAGALE	45	М	30.07.2020	Positive
C18738	ADITYA S. KHANDAGALE	16	М	30.07.2020	Negative
C18739	YASH S. KHANDAGALE	15	М	30.07.2020	Negative
C18740	SOHAM ANYAL	24	М	30.07.2020	Negative
C18741	SANSKRITI ANYAL	24	F	30.07.2020	Negative
C18742	SUHASINI ANYAL	78	F	30.07.2020	Positive
C18743	KIRAN SOLANKE	26	М	30.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional
  testing if required.\*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shauro Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)



# NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

### COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

#### **Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	29/07/2020 18:35 pm
Date and time of reporting (dd/mm/yyyy)	30/07/2020 18:03 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C18744	NIRMALA N. SOLANKE	44	F	30.07.2020	Negative
C18745	NATVAR SOLANKE	45	М	30.07.2020	Negative
C18746	VISHNU KAVLE	38	М	30.07.2020	Negative
C18747	SUNITA VATEKAR	30	F	30.07.2020	Negative
C18748	MONIKA KAVLE	8	F	30.07.2020	Negative
C18749	ARUN KAVLE	12	М	30.07.2020	Negative
C18750	SUMIT KAVLE	15	М	30.07.2020	Negative
C18751	ISHITA JOSHI	12	F	30.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.\*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shauro Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)