



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	14/07/2020 17:00 pm
Date and time of reporting (dd/mm/yyyy)	15/07/2020 18:24 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C15193	ANJU SINGH	40	F	15.07.2020	Negative
C15194	NEHA SINGH	18	F	15.07.2020	Negative
C15195	AKASH R. DAS	22	M	15.07.2020	Negative
C15196	HARIKA B. CHINDAPAREDDI	23	F	15.07.2020	Negative
C15197	SAIKUMAR B. CHIDAPAREDDI	20	M	15.07.2020	Negative
C15198	VANDANA KULE	52	F	15.07.2020	Negative
C15199	PRIYA S. MHASKE	32	F	15.07.2020	Negative
C15200	SUPRIYA SUBHASH KADAM	53	F	15.07.2020	Negative
C15201	YAGNIK MANANI	17	M	15.07.2020	Positive
C15202	CHAITALE MANANI	20	F	15.07.2020	Negative
C15203	SUMAN RAMESH GOSAVI	71	F	15.07.2020	Negative
C15204	CHANDRAKANT BHARATI	61	M	15.07.2020	Negative
C15205	PRIYA V. BONDEKAR	29	F	15.07.2020	Negative
C15206	PRIYANSHU V. BONDEKAR	7	M	15.07.2020	Negative
C15207	VISHWANATH T. BONDEKAR	32	M	15.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	14/07/2020 17:00 pm
Date and time of reporting (dd/mm/yyyy)	15/07/2020 18:24 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C15208	BHAGWATI MANANI	66	F	15.07.2020	Negative
C15209	VEDIKA V. BHOIR	31	F	15.07.2020	Negative
C15210	SHAKUNTALA BHOIR	58	F	15.07.2020	Positive
C15211	JOMA SHANTARAM BHOIR	61	M	15.07.2020	Positive
C15212	VEDANT VINOD BHOIR	10	M	15.07.2020	Negative
C15213	VARAD BHOIR	6	M	15.07.2020	Negative
C15214	AARTI NANDISH PANCHAL	41	F	15.07.2020	Negative
C15215	DEV NANDISH PANCHAL	16	M	15.07.2020	Negative
C15216	HIMANSHU N. PANCHAL	18	M	15.07.2020	Negative
C15217	NEEN R. PATHARE	54	F	15.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)