

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	11/08/2020 15:30 pm	
Date and time of reporting (dd/mm/yyyy)	12/08/2020 16:48 pm	
SPECIMEN DETAILS	MEN DETAILS Nasopharyngeal Swab	
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE	

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C21145	RISHABH SONAR	8	М	12.08.2020	Negative
C21146	VICKY SONAR	31	М	12.08.2020	Positive
C21147	GEETA SONAR	27	F	12.08.2020	Positive
C21148	NIKHIL DEVLEKAR	23	М	12.08.2020	Positive
C21149	HARSHADA DEVLEKAR	18	F	12.08.2020	Positive
C21150	NILIMA DEVLEKAR	45	F	12.08.2020	Positive
C21151	RAMESH D. GHADE	56	М	12.08.2020	Positive
C21152	SANKALP M. DALVI	22	M	12.08.2020	Negative
C21153	SAGAR HULE	28	M	12.08.2020	Negative
C21154	NANDA V. SONAVANE	62	F	12.08.2020	Negative
C21155	MAHESH V. SONAVANE	38	M	12.08.2020	Negative
C21156	SACHIN V. SONAWANE	35	M	12.08.2020	Negative
C21157	SOHAM S. SONAWANE	10	М	12.08.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shaws Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)