

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	30/05/2020 17:43 pm	
Date and time of reporting (dd/mm/yyyy)	01/06/2020 13:10 pm	
SPECIMEN DETAILS	Nasopharyngeal Swab	
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur	

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C5999	USHADEVI ANJANIKUMAR BANKA	58	F	30.05.2020	Negative
C6000	MANISHKUMAR ANJANIKUMAR BANKA	32	М	30.05.2020	Negative
C6001	KANHU GOVIND SAPLE	67	М	30.05.2020	Negative
C6002	JYOTI KANHU SAPLE	61	F	30.05.2020	Negative
C6003	NILESH MADHUKAR DHAMNE	31	M	30.05.2020	Positive
C6004	DEEPALI NILESH DHAMNE	28	F	30.05.2020	Positive
C6005	PIYUSH NILESH DHAMNE	2	M	30.05.2020	Negative
C6006	ASHA BARKU BANGAR	22	F	30.05.2020	Negative
C6007	RAMESH MARUTI SATPUTE	39	M	30.05.2020	Negative
C6008	UMESH TUKARAM DHANKE	30	М	30.05.2020	Negative
C6009	VIMALKUMAR ANSANIKUMAR BANKA	34	М	30.05.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shaws Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)