



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	31/08/2020 16:30 pm
Date and time of reporting (dd/mm/yyyy)	01/09/2020 18:05 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	KAUSA STADIUM QUARANTINE CENTER


Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C24488	RAMESH GAURAV SAHU	42	M	01.09.2020	Negative
C24489	FARZANA BANO RAAYEN	31	F	01.09.2020	Negative
C24490	RIYA RAJESH LOKARE	34	F	01.09.2020	Negative
C24491	NIRMALADEVI NANDLAL GUPTA	60	F	01.09.2020	Negative
C24492	GAUTAM NANDLAL GUPTA	30	M	01.09.2020	Negative
C24493	HASAN ISHAK HAWA	66	M	01.09.2020	Negative
C24494	RAJESH DATTARAM LOKARE	32	M	01.09.2020	Positive
C24495	RIJAVAN ALI	33	M	01.09.2020	Negative
C24496	REHANA MUSHTAQUE AHMED PATEL	49	F	01.09.2020	Negative
C24497	BUKHARI BIN ISMAIL	25	M	01.09.2020	Negative
C24498	ABDUL ALIM	53	M	01.09.2020	Negative
C24499	JAHIRUDDIN AMCHER ALI	62	M	01.09.2020	Negative
C24500	MD NASIN UDDIN	37	M	01.09.2020	Negative
C24501	RUBEL AHMED	21	M	01.09.2020	Negative
C24502	SIKHANDAKAR ANWAR HOSSAIN	63	M	01.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report


Date & Time of receipt of specimen (dd/mm/yyyy)	31/08/2020 16:30 pm
Date and time of reporting (dd/mm/yyyy)	01/09/2020 18:05 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	KAUSA STADIUM QUARANTINE CENTER

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C24503	SHAZAHAN KABIR	36	M	01.09.2020	Negative
C24504	MD AZIZUL SHEIKH	19	M	01.09.2020	Negative
C24505	MD SHAHEEN KHAN	27	M	01.09.2020	Negative
C24506	SUTTAN MAHAMUD FAKIR	38	M	01.09.2020	Negative
C24507	MD SAKIL HOSEN	20	M	01.09.2020	Negative
C24509	MOHAMMAD RAFIQUUL ISLAM	65	M	01.09.2020	Negative
C24510	MD ABDUL KALAM AZAD	43	M	01.09.2020	Negative
C24511	MOHAMMAD MAFUZUR RASHID	40	M	01.09.2020	Negative
C24512	MD FIRDAUS BIN ROSDI	32	M	01.09.2020	Negative
C24513	NIK IHTISYAMULHAQ BIN NIK MOHD SAPAWI	25	M	01.09.2020	Negative
C24514	MUHAMMAD UMAR BIN KAMARDDIN	25	M	01.09.2020	Negative
C24515	MUHAMMAD UMAIR BIN AHMED	21	M	01.09.2020	Negative
C24516	MUHAMMAD SYUKRI BIN ADAM	21	M	01.09.2020	Negative
C24517	MUHAMMAD SYAHMIR BIN ABZ AZIZ	26	M	01.09.2020	Negative
C24518	MD NAIM HOSSAIN	33	M	01.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	31/08/2020 16:30 pm
Date and time of reporting (dd/mm/yyyy)	01/09/2020 18:05 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	KAUSA STADIUM QUARANTINE CENTER

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C24519	MUHAMMAD NURFIKRI BIN SAID	25	M	01.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)