



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	05/09/2020 15:50 pm
Date and time of reporting (dd/mm/yyyy)	10/09/2020 16:08 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	C.R.WADIA

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C27045	VISHAKHA LALCHAND MAURYA WXX-06	17	F	10.09.2020	Negative
C27044	NISHA LAXMINARAYAN CHAURASIYA WXX-03	29	F	10.09.2020	Negative
C27043	ARCHANA HEMKANT NIKUMBH WXX-04	26	F	10.09.2020	Negative
C27042	TEJSHREE PRAVIN NARAYANKAR WXX-10	28	F	10.09.2020	Positive
C27054	PARWATI CHIMAN DESHMUKH WY-2913	92	F	10.09.2020	Positive
C27053	SONUKUMAR GAUTAM WY-2860	21	M	10.09.2020	Negative
C27052	JAINUDDIN KHAN WY-2879	20	M	10.09.2020	Negative
C27051	SANDEEP KUMAR WY-2861	23	M	10.09.2020	Negative
C27041	LALITA BHOIR	63	F	10.09.2020	Negative
C27035	ISHWAR SHINDE	40	M	10.09.2020	Negative
C27034	MADAN MANOHAR BALLAN	52	M	10.09.2020	Negative
C27033	POOJA SANJAY DESAI	42	F	10.09.2020	Positive
C27032	MAYUR BHALERAO	22	M	10.09.2020	Negative
C27031	CHANDRAMOHAN CHANDDRAKANT DUBEY	55	M	10.09.2020	Negative
C27025	RENUKA CHANDRAMOHAN DUBEY	28	F	10.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	05/09/2020 15:50 pm
Date and time of reporting (dd/mm/yyyy)	10/09/2020 16:08 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	C.R.WADIA

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C27024	JAYESH KIVIT GANDHI	50	M	10.09.2020	Negative
C27023	SUSHIL NARAYAN DAVANKAR	71	M	10.09.2020	Negative
C27022	BHAVIN R. SINGHADIA	32	M	10.09.2020	Positive
C27021	AMAR ASHOK GARVE	29	M	10.09.2020	Negative
C27020	PRADEEP KHAPRE	30	M	10.09.2020	Negative
C27019	JAYWANT KANDLEKAR	28	M	10.09.2020	Negative
C27018	LAXMAN RATHOD	42	M	10.09.2020	Negative
C27017	JYOTSNA GADEKAR	46	F	10.09.2020	Negative
C27016	SAKSHI GUPTA	21	F	10.09.2020	Positive
C27015	DR. VIJAY MUGALIKAR	47	M	10.09.2020	Negative
C27014	NEETA BHOIR	52	F	10.09.2020	Positive
C27013	BHAGYASHREE PRABHAVALA	45	F	10.09.2020	Negative
C27072	SHIVCHANDRA PRAJAPATI WV - 929	54	M	10.09.2020	Negative
C27090	ASHOK ZAKRI KANOJIYA WV - 930	40	M	10.09.2020	Positive
C27086	JALLALUDDIN KHAN WV - 935	38	M	10.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	05/09/2020 15:50 pm
Date and time of reporting (dd/mm/yyyy)	10/09/2020 16:08 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	C.R.WADIA

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C27075	DINESH MURANI JAISWAR WV - 936	31	M	10.09.2020	Negative
C27089	SHRAVAN JAYASWAL WV - 937	38	M	10.09.2020	Negative
C27073	JAYPRAKASH PANDEY WV - 939	40	M	10.09.2020	Negative
C27074	MOHD GHALIB WV - 940	30	M	10.09.2020	Negative
C27088	SUNIL SHINDE WV - 950	42	M	10.09.2020	Negative
C27071	UMESH VITTHAL CHACHAD WY-2948	40	M	10.09.2020	Positive
C27060	KRUSHNA CHIMAN DESHMUKH WY-2912	70	M	10.09.2020	Positive
C27059	NITA KRUSHNA DESHMUKH WY-2911	65	F	10.09.2020	Positive
C27058	JAVED KHAN WY-2874	32	M	10.09.2020	Negative
C27057	IBRAHIM SABIR KHAN WY-2872	21	M	10.09.2020	Negative
C27056	SALMAN GULAM MOHAMMAD KHAN WY-2877	25	M	10.09.2020	Negative
C27055	SADAB JHAKIR KHAN WY-2872	19	M	10.09.2020	Negative
C27655	MONUKUMAR AYODHYA GUPTA WY-3049	26	M	10.09.2020	Negative
C27087	AARTI RAJESH KANOJIYA WV - 943	40	F	10.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)