

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601 RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	18/09/2020 16:15 pm
Date and time of reporting (dd/mm/yyyy)	20/09/2020 12:46 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	KAUSA STADIUM QUARANTINE CENTER

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C31237	RAMRAJ NISHAD	40	М	20.09.2020	Positive
C31236	VENKATESH A. RAJU	28	М	20.09.2020	Negative
C31235	SURAJ PRABHAKAR CHAVAN	19	М	20.09.2020	Positive
C31234	JAY PRAKASH YADAV	36	М	20.09.2020	Negative
C31232	SAVITA VILAS WAGH	21	F	20.09.2020	Negative
C31231	UROOJ FATMA MASOOM RIZVI	29	F	20.09.2020	Negative
C31230	VIJAY BHIMA CHAVHAN	25	М	20.09.2020	Negative
C31229	ARJUN BHIMA CHAUHAN	23	М	20.09.2020	Negative
C31228	TARABAI BHIMA CHAVAN	55	F	20.09.2020	Negative
C31227	RAJU BHEEMA CHAUHAN	33	М	20.09.2020	Negative
C31226	RATNADEEP PANJABRAO	28	М	20.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shauro Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)