

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	28/06/2020 17:00 pm	
Date and time of reporting (dd/mm/yyyy)	30/06/2020 11:41 am	
SPECIMEN DETAILS	Nasopharyngeal Swab	
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur	

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C11284	MAHESH ANANTA KEDARE 765	38	М	30.06.2020	Negative
C11285	SHALINI PRAMOD BHANUSHALI 797	58	F	30.06.2020	Positive
C11286	CHITRA AVINASH BHANUSHALI 794	48	F	30.06.2020	Negative
C11287	NAYNA MANGESH CHANDRAMORE 826	12	F	30.06.2020	Negative
C11288	MANGESH RAMESH CHANDRAMORE 825	32	М	30.06.2020	Negative
C11289	RANJANA RAMESH CHANDRAMORE 824	53	F	30.06.2020	Positive
C11290	APARNA ARUN KIRPAN 822	46	F	30.06.2020	Negative
C11291	ARUN AMBO KIRPAN	54	М	30.06.2020	Positive
C11292	SHAMA SANTOSH KARDAK	40	F	30.06.2020	Positive
C11293	YASHODABAI KISAN KARDAK	55	F	30.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional
 testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shaws Verified by

Verified by Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)