



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	05/08/2020 16:30 pm
Date and time of reporting (dd/mm/yyyy)	06/08/2020 14:36 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CIVIL HOSPITAL THANE (MURBAD)

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C20221	JAY RAVINDRA PASHTE	8	M	06.08.2020	Negative
C20212	MISS MANASVI RAVINDRA PASHTE	10	F	06.08.2020	Positive
C20213	REENA RAVINDRA PASHTE	32	F	06.08.2020	Positive
C20211	KISAN BABU GHUDE	36	M	06.08.2020	Positive
C20209	RAMESH JAYRAM GHUDE	30	M	06.08.2020	Positive
C20205	PRANAY NETAJI GHUDE	13	M	06.08.2020	Negative
C20210	LAXMIBAI JANU GHUDE	65	F	06.08.2020	Positive
C20214	RAJESH SHATARAM WAGH	30	M	06.08.2020	Positive
C20207	NITIN VAMAN GHOLAP	39	M	06.08.2020	Negative
C20206	VANITA VAMAN GHOLAP	59	F	06.08.2020	Negative
C20208	GAURAV NITIN GHOLAP	3	M	06.08.2020	Negative
C20204	BHIMABAI TUKARAM GAWARI	52	F	06.08.2020	Positive
C20215	DEVIDAS LAXUMAN BOTKUNDLE	31	M	06.08.2020	Positive
C20218	PANDURANG BARKU BHOIR	50	M	06.08.2020	Negative
C20139	SHEETAL REVANNATH GAVARI	19	F	06.08.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	05/08/2020 16:30 pm
Date and time of reporting (dd/mm/yyyy)	06/08/2020 14:36 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CIVIL HOSPITAL THANE (MURBAD)

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C20216	AKTARY MUZAIN SHEIKH	42	F	06.08.2020	Positive
C20223	MUZAHD HUSHEN SHENKH	49	M	06.08.2020	Negative
C20222	AKRAM MUZAIND SHENKH	22	M	06.08.2020	Positive
C20220	NEELIMA BALKRUSHNA MHODSE	22	F	06.08.2020	Negative
C20219	SHASHIKANT GORAKH FALKE	28	M	06.08.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)