



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	11/07/2020 18:00 pm
Date and time of reporting (dd/mm/yyyy)	13/07/2020 14:52 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C14606	SHITESHA NARAYAN BANGARE	24	F	13.07.2020	Positive
C14607	RAMKUMAR S. BAHURASHI	38	M	13.07.2020	Negative
C14608	VEDANT VINOD AAGIVALE	8	M	13.07.2020	Negative
C14609	GOPINATH MAHADU BHOIR	47	M	13.07.2020	Positive
C14610	YASH SANJIVKUMAR GOYAL	14	M	13.07.2020	Positive
C14611	JAYESH DATTATRAY BHANUSHALI	60	M	13.07.2020	Negative
C14612	SITARAM TUKARAM AAGIVALE	61	M	13.07.2020	Negative
C14613	SAGAR KONDU KADAV	34	M	13.07.2020	Positive
C14614	KAVYA TUSHAR KADAV	9	F	13.07.2020	Negative
C14615	HARSH D. AAGIVALE	6	M	13.07.2020	Negative
C14616	YOGESH PANDURANG DALVI	34	M	13.07.2020	Negative
C14617	JAGANNATH P. DALVI	41	M	13.07.2020	Negative
C14618	KISAN S. DHORIYA	23	M	13.07.2020	Negative
C14619	AARYA YOGESH BARORA	6	F	13.07.2020	Negative
C14620	VIRAJ VINOD AAGIVALE	8	M	13.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

Sharma

Verified by
Dr. Shalmali Dharma Ph. D

Barb

Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	11/07/2020 18:00 pm
Date and time of reporting (dd/mm/yyyy)	13/07/2020 14:52 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C14621	DNYANESHWAR TIWAR	50	M	13.07.2020	Positive
C14622	KARISHMA RAKESH VEHL	26	F	13.07.2020	Negative
C14623	GAURAV PRADIP AAGIVALE	9	M	13.07.2020	Positive
C14624	PALADEVI S. DHORIYA	52	F	13.07.2020	Negative
C14625	MEENA S. GOYAL	47	F	13.07.2020	Positive
C14626	RAMABAI BHAI TIWAR	80	F	13.07.2020	Positive
C14627	MAYUR VASANT JAGTAP	29	M	13.07.2020	Negative
C14628	BHAVNA S. GOYAL	14	F	13.07.2020	Positive
C14629	KARUNA DNYANESHWAR TIWAR	24	F	13.07.2020	Positive
C14630	NANDA DNYANESHWAR TIWAR	45	F	13.07.2020	Positive
C14631	ASHA VAMAN JADHAV	64	F	13.07.2020	Negative
C14632	PARTH SANDIP BAGUL	20	M	13.07.2020	Negative
C14633	EKNATH NARAYAN KHARIK	54	M	13.07.2020	Negative
C14634	SHIVAJI HARI SATPUTE	46	M	13.07.2020	Positive
C14635	NIKHIL RAMDAS AAGIVALE	8	M	13.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)




NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report


Date & Time of receipt of specimen (dd/mm/yyyy)	11/07/2020 18:00 pm
Date and time of reporting (dd/mm/yyyy)	13/07/2020 14:52 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C14636	CHAITANYA BARORA	12	M	13.07.2020	Negative
C14637	VAISHANAVI BARORA	11	F	13.07.2020	Negative
C14638	NISHA CHANDRA BARORA	8	F	13.07.2020	Negative
C14639	KARTIK KESHAV AAGIVALE	12	M	13.07.2020	Positive
C14640	SHANKAR U. KAMBLE	55	M	13.07.2020	Negative
C14641	SANTOSH G. TAVADE	40	M	13.07.2020	Positive
C14642	PRATIKSHA ANANTA TOHAKE	21	F	13.07.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)