



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	16/09/2020 13:00 pm
Date and time of reporting (dd/mm/yyyy)	18/09/2020 19:49 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C30655	RAJU N.K	45	M	18.09.2020	Negative
C30633	LILABAI WAMAN KOLI	53	F	18.09.2020	Negative
C30634	SANDHYA PRAKASH BORSE	43	F	18.09.2020	Negative
C30635	MUSAMMA N.K	54	F	18.09.2020	Negative
C30636	RAHUL JADHAV	45	M	18.09.2020	Negative
C30637	KAUSHIK B. SINGH	16	M	18.09.2020	Negative
C30638	SWAPNAJA A. DIGHE	29	F	18.09.2020	Negative
C30639	NEHA R. SINGH	10	F	18.09.2020	Negative
C30640	SHIV N. PRATAP	45	M	18.09.2020	Negative
C30641	PURVA P. SAWANT	42	F	18.09.2020	Negative
C30642	RAHUL K. CHAUHAN	21	M	18.09.2020	Negative
C30643	ANIK K. SINGH	35	M	18.09.2020	Negative
C30644	ABHISHEKKUMAR B. CHAUHAN	27	M	18.09.2020	Negative
C30645	NITLISH R. SINGH	20	M	18.09.2020	Negative
C30646	SURAJ B. SAH	20	M	18.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	16/09/2020 13:00 pm
Date and time of reporting (dd/mm/yyyy)	18/09/2020 19:49 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C30647	DEVENDRA K. SAH	30	M	18.09.2020	Negative
C30648	DEEPAK B. MAHTO	20	M	18.09.2020	Negative
C30649	RAJU A. SAH	32	M	18.09.2020	Negative
C30650	SACHIN S. MANGLE	27	M	18.09.2020	Negative
C30651	BINAY K. SINGH	46	M	18.09.2020	Negative
C30652	MANISHA SINGH	40	F	18.09.2020	Negative
C30653	AAKANSHA A. SURVE	24	F	18.09.2020	Negative
C30654	MANOJ R. KAROTIYA	27	M	18.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)