

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601 RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	11/09/2020 01:30 am	
Date and time of reporting (dd/mm/yyyy)	12/09/2020 12:16 pm	
SPECIMEN DETAILS	Nasopharyngeal Swab	
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B WING	

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2	
C28241	ASMITA KHADE 1007	47	F	12.09.2020	Negative	
C28242	RUPESH KHADE 1010	24	М	12.09.2020	Negative	
C28243	DASHRAT KHADE 1006	50	М	12.09.2020	Negative	
C28245	SUMEEL NERERKAR 1011	43	М	12.09.2020	Positive	
C28246	SHAKUNTALA MANE 1012	61	F	12.09.2020	Negative	
C28247	KAMAL NERERKAR 1012	11	F	12.09.2020	Positive	
C28248	MEERA LAXMAN AHERAL 1008	50	F	12.09.2020	Inconclusive (Repeat Fresh Sample)	
C28249	RENUDEVI MALI 1005	30	F	12.09.2020	Negative	
C28250	YASH MALI 1005	5	М	12.09.2020	Negative	
C28251	RIYA MALI 1005	7	F	12.09.2020	Negative	
C28252	SHITAL MALI 1005	11	F	12.09.2020	Inconclusive (Repeat Fresh Sample)	
C28253	POORNIMA GUPTA 1032	15	F	12.09.2020	Negative	
C28254	ROHIT GUPTA 1030	12	M	12.09.2020	Negative	
C28255	AARTI GUPTA 1031	20	F	12.09.2020	Negative	
C28256	SHANTIDEVI GUPTA 1030	30	F	12.09.2020	Negative	

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- · Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shaws Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601 **RT-PCR Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	11/09/2020 01:30 am	
Date and time of reporting (dd/mm/yyyy)	12/09/2020 12:16 pm	
SPECIMEN DETAILS	Nasopharyngeal Swab	
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B WING	

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C28257	RAMKRISHANA PILLAI 1022	74	М	12.09.2020	Negative
C28258	MONICA PILLAI 1018	73	F	12.09.2020	Negative
C28259	KAJOL PRAJAPATI 1024	18	F	12.09.2020	Negative
C28260	BHUMI PRAJAPATI 1025	12	F	12.09.2020	Negative
C28261	YASH PRAJAPATI 1026	17	М	12.09.2020	Negative
C28262	RESHMA KACHARE 1120	60	F	12.09.2020	Positive
C28263	VIJAY KACHARE 1119	41	М	12.09.2020	Negative
C28264	SONALI KACHRE 1121	30	F	12.09.2020	Positive
C28265	TANISHA KACHARE 1121	7	F	12.09.2020	Negative
C28266	KANTA PRAJAPATI 1017	22	F	12.09.2020	Negative
C28267	VAISHNAVI KHADE 1007	17	F	12.09.2020	Negative
C28268	PREAMCHAND GUPTA 1033	40	M	12.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- · Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shaws

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)

Verified by Dr. Shalmali Dharma Ph. D