



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	17/09/2020 11:45 am
Date and time of reporting (dd/mm/yyyy)	19/09/2020 12:28 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C30871	JAYANTI CHAUDHARI AP - 674	51	F	19.09.2020	Negative
C30858	SUHASINI TAMBE 16102/A - 3784	43	F	19.09.2020	Negative
C30859	PRIYA UGALE AA - 3592	23	F	19.09.2020	Negative
C30860	MAYURESH MAHADEV ZENDE 16097/A - 3781	15	M	19.09.2020	Positive
C30861	UPENDRA CHAUHAN 16093/A - 3779	27	M	19.09.2020	Negative
C30862	ANIKET VILASRAO DUBAL 16098/A - 3782	29	M	19.09.2020	Negative
C30863	ANILKUMAR CHAURASIYA 46649/A - 3787	23	M	19.09.2020	Negative
C30864	MUSTAQ SHAIKH 16110/A - 3793	62	M	19.09.2020	Negative
C30865	ABDUL RASHID/ ISLAM RAFIQUE SAYDUL 16113/ A- 3796	28	M	19.09.2020	Negative
C30866	SIDDHESHWER MUNDE 16099/A- 3783	29	M	19.09.2020	Negative
C30867	MAHENDRA KHARAT 46680/A - 3818	45	M	19.09.2020	Negative
C30872	NURULHAQ AKHTAR RASHID SAYYAD 16119/ A- 3798	26	M	19.09.2020	Negative
C30868	UNKNOWN FEMALE SAVITA 46683/A - 3824	33	F	19.09.2020	Negative
C30869	RAVI ROTAS BODH 46681/A - 3813	21	M	19.09.2020	Negative
C30870	DINESH ADKHALE 16144/A - 3833	27	M	19.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	17/09/2020 11:45 am
Date and time of reporting (dd/mm/yyyy)	19/09/2020 12:28 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C30856	AMRUTTAL PANCHAL 16128/A - 3806	62	M	19.09.2020	Negative
C30855	KARUNA KAMBLE 16127/A - 3807	24	F	19.09.2020	Negative
C30857	HASHIM SIDDHIQUE` 16120/A - 3802	48	M	19.09.2020	Negative
C30854	VISHAL PATIL 16115/A - 3799	24	M	19.09.2020	Negative
C31102	MOHAMMED HUSAIN ABDUL 3888	37	M	19.09.2020	Negative
C31178	DR.SEJAL PEDNEKAR A-3940	23	F	19.09.2020	Negative
C31179	ANILA RAVIKUMAR A-3939	54	F	19.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)