



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	13/09/2020 20:35 pm
Date and time of reporting (dd/mm/yyyy)	15/09/2020 17:19 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C29948	VIKAS S. SHINDE	40	M	15.09.2020	Negative
C29947	GEET KARANDE	11	F	15.09.2020	Negative
C29946	SHEKHAR P. KOLWANKAR	34	M	15.09.2020	Negative
C29945	MRUNAL S. KOLWANKAR	32	F	15.09.2020	Negative
C29944	RAJANI R. MANDVIKAR	70	F	15.09.2020	Negative
C29943	RAMESH K. MANDVIKAR	76	M	15.09.2020	Negative
C29942	ASHWINI K. JADHAV	40	F	15.09.2020	Negative
C29941	SIDDHI KARANDE	12	F	15.09.2020	Negative
C29925	YOGESH S. PATHAK	34	M	15.09.2020	Negative
C29924	SHWETA S. NAGAONKAR	34	F	15.09.2020	Negative
C29923	VAISHALI NAGAONKAR	62	F	15.09.2020	Negative
C29922	BHAVANA S. HARULKAR	38	F	15.09.2020	Negative
C29921	NEERAJA S. HARULKAR	9	F	15.09.2020	Negative
C29888	SMITA SADANAND PANCHAL	39	F	15.09.2020	Negative
C29887	JYOTI BALIRAM SARALKAR	35	F	15.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	13/09/2020 20:35 pm
Date and time of reporting (dd/mm/yyyy)	15/09/2020 17:19 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C29886	JYOTSHNA DINESH NANDI	55	F	15.09.2020	Negative
C29885	RAMNATH SUDDAM MAIDKAR	35	M	15.09.2020	Negative
C29884	RAM MAIAPPA KANEMAN	58	M	15.09.2020	Negative
C29895	GHJANAN R. PATIL	74	M	15.09.2020	Negative
C29894	LILAVATI D. KOLI	43	F	15.09.2020	Negative
C29893	SUSHILA BHADKAWALE	59	F	15.09.2020	Negative
C29892	VAISHALI PATIL	40	F	15.09.2020	Negative
C29891	JAYSHREE SURESH CHAVAN	27	F	15.09.2020	Negative
C29890	JAYASHREE REDKAR	47	F	15.09.2020	Negative
C29889	MANORAMA BABAN GOSAVI	51	F	15.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)