



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	09/09/2020 13:10 pm
Date and time of reporting (dd/mm/yyyy)	11/09/2020 17:32 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH IPD


Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C27933	HARISHANKAR SHARMA 20408	77	M	11.09.2020	Negative
C27934	SAYADA SHAIKH 20768	60	F	11.09.2020	Negative
C27935	SACHIN MAHADEV LAGADE 830	23	M	11.09.2020	Negative
C27936	VASANT BHAVU RASKARE 20736	71	M	11.09.2020	Positive
C27937	RAZIYABANO SHAH 20207	38	F	11.09.2020	Negative
C27938	SHRIKANT GUJARATHI 20744	19	M	11.09.2020	Negative
C27939	KIRAN PRAJAPATI 20775	28	F	11.09.2020	Negative
C27932	VINAYAK AADHE 20737	26	M	11.09.2020	Negative
C27931	KESHAV JHA 20812	6	M	11.09.2020	Negative
C27916	SHABANAM SHAIKH 842	25	F	11.09.2020	Negative
C27917	SURESH SHINDE 841	45	M	11.09.2020	Negative
C27918	RAMABAI ANDHADE 837	60	F	11.09.2020	Negative
C27919	SHIVAJI GUNYALE 836	46	M	11.09.2020	Negative
C27920	SARSWATI NARIMAN DARUWALA 788	71	F	11.09.2020	Negative
C27921	AJIT VISHWNATH GADVE 804	49	M	11.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	09/09/2020 13:10 pm
Date and time of reporting (dd/mm/yyyy)	11/09/2020 17:32 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH IPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C27922	JAYASHREE LOKARE 844	46	F	11.09.2020	Negative
C27923	VIJAY BORATE 833	25	M	11.09.2020	Negative
C27924	MOHAMMAD ALI HUSAIN SHAH 831	61	M	11.09.2020	Negative
C27925	AYAAN RAEES SAYYAD 839	14	M	11.09.2020	Negative
C27926	SUNANDA PRAKASH JADHAV 846	50	F	11.09.2020	Negative
C27927	HAMIDA KHAN 843	75	F	11.09.2020	Negative
C27928	ULHAS TAMBDE 838	68	M	11.09.2020	Inconclusive (Repeat Fresh Sample)
C27929	SAVITA VILAS WAGH 832	23	F	11.09.2020	Positive
C27930	SABUDIN IMAMUDDIN SHAIKH 20861	46	M	11.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)