



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	10/08/2020 16:40 pm
Date and time of reporting (dd/mm/yyyy)	11/08/2020 19:50 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CIVIL HOSPITAL THANE (MURBAD)

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C20992	BASAWRAJ HANUMANT SHIVPUJE	36	M	11.08.2020	Positive
C20993	PRANOTI RAM HUDGE	29	F	11.08.2020	Positive
C20994	GANGAMANI HANUMANT SHIVPUJE	56	F	11.08.2020	Negative
C20995	RAJENDRA DHONDU PATKAR	55	M	11.08.2020	Positive
C20996	REVANNATH TUKARAM GAVARI	32	M	11.08.2020	Positive
C20997	SUNGANDA KONDIRAM CHINCHVALE	58	F	11.08.2020	Positive
C20998	DISHA SAGAR CHINCHVALE	3	F	11.08.2020	Positive
C20999	SAPNA SAGAR CHINCHAWALE	29	F	11.08.2020	Negative
C21000	SAGAR KONDIRAM CHINCHAWALE	32	M	11.08.2020	Positive
C21001	SACHIN KONDIRAM CHINCHAWALE	34	M	11.08.2020	Negative
C21002	GULABBAI BALU TIWAR	60	F	11.08.2020	Negative
C21003	SARIKA SANJAY GHUDE	38	F	11.08.2020	Positive
C21004	SANJAY HIRU GHUDE	41	M	11.08.2020	Positive
C21005	YOGESH RAJENDRA TELAWANE	28	M	11.08.2020	Negative
C21006	BHAVESH RAJENDRA TELAWANE	30	M	11.08.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	10/08/2020 16:40 pm
Date and time of reporting (dd/mm/yyyy)	11/08/2020 19:50 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CIVIL HOSPITAL THANE (MURBAD)

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C21007	RADHA BHAVESH TELAWANE	25	F	11.08.2020	Negative
C21008	TANISHKA SUHAS KHARMATE	13	F	11.08.2020	Positive
C21010	RUPALI SUHAS KHARMATE	32	F	11.08.2020	Positive
C21013	AVDHUT SUHAS KHARMATE	9	M	11.08.2020	Negative
C21011	NANDKUMAR HIRU GHUDE	38	M	11.08.2020	Positive
C21012	HIRU HARI GHUDE	71	M	11.08.2020	Positive
C21009	ABHIMAN RAJENDRA PATKAR	22	M	11.08.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)