



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	27/09/2020 17:30 pm
Date and time of reporting (dd/mm/yyyy)	28/09/2020 19:23 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C33077	SHAILESH PANDIRKAR	42	M	28.09.2020	Negative
C33078	DR. CHHAYA PANDIRKAR	40	F	28.09.2020	Negative
C33079	SHREEYAN PANDIRKAR	9	M	28.09.2020	Negative
C33080	SANDIP S. CHAVAN	39	M	28.09.2020	Positive
C33081	NINAD D. WAGHULE	33	M	28.09.2020	Negative
C33082	REMMY P. GAIUS	36	M	28.09.2020	Negative
C33083	DISHA ANIL PAWAR	17	F	28.09.2020	Negative
C33084	SHUBHANGI N. BELNEKAR	60	F	28.09.2020	Negative
C33085	NILESH BELNEKAR	42	M	28.09.2020	Negative
C33086	DEVANSH N. BELNENKAR	2Y 6M	M	28.09.2020	Negative
C33087	MAHENDRA M. MAHADIK	36	M	28.09.2020	Negative
C33088	SHREYA BELNEKAR	39	F	28.09.2020	Negative
C33089	SANKET L. JADHAV	23	M	28.09.2020	Negative
C33090	SHARADA M. TAJNE	38	F	28.09.2020	Negative
C33091	KSHITIJ M. TAJNE	18	M	28.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	27/09/2020 17:30 pm
Date and time of reporting (dd/mm/yyyy)	28/09/2020 19:23 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C33092	SANGHARASH M. TAJNE	20	M	28.09.2020	Negative
C33093	YOGESH M. RATHOD	35	M	28.09.2020	Negative
C33094	VIJAY K. MANE	56	M	28.09.2020	Negative
C33095	ANKITA L. JADHAV	22	F	28.09.2020	Negative
C33096	MUKESH MAHATO	24	M	28.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)