



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	12/09/2020 16:25 pm
Date and time of reporting (dd/mm/yyyy)	14/09/2020 18:10 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	C.R.WADIA

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C29292	KAUSAL PATEL WLL - 44	35	F	14.09.2020	Negative
C29291	SWATI SWAMINATH RAWOOT WLL - 45	57	F	14.09.2020	Negative
C29347	JAKIA ANSARI WV - 1571	45	F	14.09.2020	Negative
C29346	RAJASHREE RAMESH SALVI W - 4700	67	F	14.09.2020	Negative
C29344	SAJIDA ASLAM SHAIKH W - 4612	41	F	14.09.2020	Negative
C29345	DEEPA PATHARE W - 4593	34	F	14.09.2020	Negative
C29343	MUKUND KEDARNATH KARANDE W - 4562	43	M	14.09.2020	Positive
C29342	SANJAY K. AHUJA W - 4579	41	M	14.09.2020	Negative
C29341	SHAHAJI NARAYAN SHINDE W - 4580	51	M	14.09.2020	Negative
C29340	RUTUJA DESHPANDE W - 4649	26	F	14.09.2020	Positive
C29339	SANDESH SURENDRA KADAM W - 4634	40	M	14.09.2020	Negative
C29338	SHALAKA B. BHAT W - 4627	39	F	14.09.2020	Negative
C29337	RAJASHREE B. AAHER W - 4663	26	F	14.09.2020	Negative
C29336	ABHISEKH RAJENDRA SINH W - 4454	24	M	14.09.2020	Negative
C29335	RITESH BABAN KADAM W - 4629	30	M	14.09.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	12/09/2020 16:25 pm
Date and time of reporting (dd/mm/yyyy)	14/09/2020 18:10 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	C.R.WADIA

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C29334	PREMADEVI RAMAADHAR SINH W - 4660	60	F	14.09.2020	Positive
C29333	KAUSHAL DESHPANDE W-4647	29	M	14.09.2020	Positive
C29332	BALACHANDRA BHAT W-4641	40	M	14.09.2020	Negative
C29331	AINDRITA BHAT W-4640	8	F	14.09.2020	Negative
C29330	MUKESH RANAADHAR SINGH W-4658	42	M	14.09.2020	Negative
C29329	PRIYANKA DESHPANDE W-4648	56	F	14.09.2020	Positive
C29328	PARESH INAMDAR W-4662	44	M	14.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)