



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	13/06/2020 13:30 pm
Date and time of reporting (dd/mm/yyyy)	14/06/2020 19:15 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH IPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C8497	LATA WAGH 1032	50	F	14.06.2020	Negative
C8498	TEJASHRI DIPAK KAMBLE 327	50	F	14.06.2020	Negative
C8577	VINOD CHAUHAN 15250	36	M	14.06.2020	Negative
C8578	AASHARAPA KALYANKAR 15302	40	M	14.06.2020	Negative
C8579	RAJENDRA DAGDU KAMBLE 15300	38	M	14.06.2020	Negative
C8580	DATTARAM GHANEKAR 15313	49	M	14.06.2020	Negative
C8581	KAMLA LAXMI PANDEY 182	80	F	14.06.2020	Negative
C8582	SUNITA BHAGWAN AASWAR 181	53	F	14.06.2020	Positive
C8583	NIRABI KOLI 15182	68	F	14.06.2020	Negative
C8584	SAMITA BARDI 15351	34	F	14.06.2020	Negative
C8585	BALKRUSHANA JAGTAP 180	55	M	14.06.2020	Inconclusive (Repeat Fresh Sample)
C8586	PAVAN CHAVAN 183	50	M	14.06.2020	Inconclusive (Repeat Fresh Sample)
C8587	BALCHANDRA SHINDE 179	47	M	14.06.2020	Negative
C8588	SURABHI SURESH GOSWAMI 15459	20	F	14.06.2020	Inconclusive (Repeat Fresh Sample)

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)