



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**RT-PCR Test Report**


Date & Time of receipt of specimen (dd/mm/yyyy)	16/09/2020 17:00 pm
Date and time of reporting (dd/mm/yyyy)	18/09/2020 20:00 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CIVIL HOSPITAL THANE (MURBAD)

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C30742	RAKESH DONGRE	30	M	18.09.2020	Inconclusive (Repeat Fresh Sample)
C30743	SHIVAJI GAUTAM KHARE	40	M	18.09.2020	Negative
C30744	GAUTAM KRUSHNA KHARE	78	M	18.09.2020	<b>Positive</b>
C30745	NIKHIL RAMAKANT PATHARE		M	18.09.2020	Negative
C30746	OMKAR RAMAKANT PATHARE	17	M	18.09.2020	Negative
C30747	CHANDRAKANT PATHARE	32	M	18.09.2020	Negative
C30748	RATNA RAMAKANT PATHARE	43	F	18.09.2020	<b>Positive</b>
C30749	BHAGWAN SON JADHAV	52	M	18.09.2020	Negative
C30750	SHANKUTALA BHAGWAN JADHAV	50	F	18.09.2020	<b>Positive</b>
C30752	TRUPTI YOGESH MARKE	30	F	18.09.2020	Negative
C30751	TRUPTI VAIBHAV KHATESHARE	29	F	18.09.2020	Negative
C30753	SACHIN HARISHANDRA MARKE	36	M	18.09.2020	Negative
C30754	SWAPNIL YASHWANT PITADE	33	M	18.09.2020	Negative
C30755	MAHESH TANAJI PAWAR	28	M	18.09.2020	Negative
C30756	LAKSHAMAN MORESHWAR CHAUDHARI	33	M	18.09.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by  
Dr. Shalmali Dharma Ph. D

  
Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**RT-PCR Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	16/09/2020 17:00 pm
Date and time of reporting (dd/mm/yyyy)	18/09/2020 20:00 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CIVIL HOSPITAL THANE (MURBAD)

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C30757	HARSHALA MAHESH DESHMUKH	27	F	18.09.2020	Negative
C30758	RAHUL SEETARAM KORE	28	M	18.09.2020	Negative
C30759	MAHESH ANNA DESHMUKH	44	M	18.09.2020	Negative
C30760	NANDU BARKU JADHAV	42	M	18.09.2020	Negative
C30761	DEEPAK NANDU JADHAV	20	M	18.09.2020	Negative
C30762	SHRIKANT VASAN BHOIRE	23	M	18.09.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by

Dr. Shalmali Dharma Ph. D

  
Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)