



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	13/07/2020 17:40 pm
Date and time of reporting (dd/mm/yyyy)	15/07/2020 12:50 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CIVIL HOSPITAL THANE (MURBAD)

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C14988	SUDHIR J. CHAUDHARI	46	M	15.07.2020	Positive
C14989	BHAGWAN BHAGOSI PAWAR	55	M	15.07.2020	Positive
C14990	KISAN KAMALU SASE	61	M	15.07.2020	Positive
C14991	RUPESH BHOIR	33	M	15.07.2020	Negative
C14992	PRATIK PARESH SHAHA	26	M	15.07.2020	Positive
C14993	JAYSHREE VINOD WAKH	23	F	15.07.2020	Negative
C14994	KUSUM VAMAN LAAD	70	F	15.07.2020	Positive
C14995	NITA PRAVIN DALVI	30	F	15.07.2020	Negative
C14996	MANISHA MARUTI GHUDE	45	F	15.07.2020	Negative
C14997	SHRUSTI GANPAT DETHE	10	F	15.07.2020	Negative
C14998	SAMEER D. GHORAD	30	M	15.07.2020	Negative
C14999	BHAVIK K. SHAH	25	M	15.07.2020	Negative
C15000	RANJIT R. JADHAV	33	M	15.07.2020	Negative
C15001	RAJESH GAYKAR	40	M	15.07.2020	Positive
C15002	SAGAR M. ZUNJARRAO	29	M	15.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	13/07/2020 17:40 pm
Date and time of reporting (dd/mm/yyyy)	15/07/2020 12:50 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CIVIL HOSPITAL THANE (MURBAD)

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C15003	SATISH MAHADU PAWAR	45	M	15.07.2020	Negative
C15004	VANITA KUDLIK CHAUDHARI	40	F	15.07.2020	Negative
C15005	PUNDLIK LAXMAN CHAUDHARI	45	M	15.07.2020	Negative
C15006	SUNIL TELAWANE	60	M	15.07.2020	Negative
C15007	DR. VANITA DILIP INGLE	43	F	15.07.2020	Positive
C15008	SONU K. CHAUDHARI	18	F	15.07.2020	Negative
C15009	YASH PUNDLIK CHAUDHARI	8	M	15.07.2020	Negative
C15010	NAMDEO MAHADU VISHE	65	M	15.07.2020	Negative
C15011	BALU BABU WAKH	55	M	15.07.2020	Negative
C15012	NIKHIL NATHA PAWAR	19	M	15.07.2020	Negative
C15013	SUDHA BHAGWAN PAWAR	50	F	15.07.2020	Positive
C15014	BHALCHANDRA Y. MAHADASE	28	M	15.07.2020	Positive
C15015	SHAILESH BHAGWAN PAWAR	27	M	15.07.2020	Positive
C15017	SUDHAKAR GAJANAN ROTHE	67	M	15.07.2020	Positive
C15019	YASHWANT KATHOD DETHE	25	M	15.07.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	13/07/2020 17:40 pm
Date and time of reporting (dd/mm/yyyy)	15/07/2020 12:50 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CIVIL HOSPITAL THANE (MURBAD)

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C15020	SAMYEK GANPAT DETHE	8	M	15.07.2020	Positive
C15021	SACHIN CHINTAMAN GHOLAP	32	M	15.07.2020	Positive
C15022	RAJESH PANHALAL SHAHA	61	M	15.07.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)