



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

| | |
|---|---------------------|
| Date & Time of receipt of specimen (dd/mm/yyyy) | 14/08/2020 12:20 pm |
| Date and time of reporting (dd/mm/yyyy) | 16/08/2020 13:07 pm |
| SPECIMEN DETAILS | Nasopharyngeal Swab |
| NAME OF QUARANTINE CENTER / HOSPITAL | CSMH OPD |

| Sample ID | Patient Name | Age (Yrs) | Gender | Date of sample testing | SARS-CoV 2 |
|-----------|--|-----------|--------|------------------------|-----------------|
| C21661 | JITENDRA MANGESH BHISE 14173/A - 1792 | 48 | M | 16.08.2020 | Negative |
| C21662 | SONALI SAIGANESH BANELAVARU 14211/A - 1823 | 20 | F | 16.08.2020 | Negative |
| C21663 | PANDURANG MAHADEV SAWANT 41663/A - 1826 | 64 | M | 16.08.2020 | Negative |
| C21664 | AVINASH ANANT VICHARE 14213/A - 1828 | 36 | M | 16.08.2020 | Negative |
| C21665 | RAGHURAJ DATTARAM PARKAR 14192/A - 1812 | 37 | M | 16.08.2020 | Positive |
| C21666 | DAYANAND KUMAR YADAV 14192/A - 1810 | 23 | M | 16.08.2020 | Negative |
| C21667 | MAGRU SAAR 14187/A - 1808 | 30 | M | 16.08.2020 | Negative |
| C21668 | SANDIP SADAVATE 14188/A - 1807 | 26 | M | 16.08.2020 | Positive |
| C21669 | DINDAYAL KANOJIYA 14189/A - 1806 | 40 | M | 16.08.2020 | Negative |
| C21670 | ABHIJEET NAMDEV CHAUDHARY 14186/A - 1805 | 32 | M | 16.08.2020 | Negative |
| C21671 | KAUSTUBH SUDHIR MHASKE 14179/A - 1799 | 16 | M | 16.08.2020 | Negative |
| C21672 | NAMDEV RAMCHANDRA SABLE 14167 | 51 | M | 16.08.2020 | Negative |
| C21673 | NAGESH NATHRAO SANAP 14218 | 42 | M | 16.08.2020 | Positive |
| C21674 | MACHINDRA ANANDA NAGARE 14216 | 39 | M | 16.08.2020 | Positive |
| C21675 | UTTAM DAMU DHIVARE 14220 | 62 | M | 16.08.2020 | Negative |

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

| | |
|---|---------------------|
| Date & Time of receipt of specimen (dd/mm/yyyy) | 14/08/2020 12:20 pm |
| Date and time of reporting (dd/mm/yyyy) | 16/08/2020 13:07 pm |
| SPECIMEN DETAILS | Nasopharyngeal Swab |
| NAME OF QUARANTINE CENTER / HOSPITAL | CSMH OPD |

| Sample ID | Patient Name | Age (Yrs) | Gender | Date of sample testing | SARS-CoV 2 |
|-----------|--|-----------|--------|------------------------|------------|
| C21676 | ASHWINI NANDKUMAR KARLE 14153 | 27 | F | 16.08.2020 | Negative |
| C21677 | VISHAL MARUTI JARE 14168/A - 1787 | 25 | M | 16.08.2020 | Negative |
| C21678 | MANOJ BABAN TEMKAR 14159/ A - 1782 | 33 | M | 16.08.2020 | Negative |
| C21679 | SAVIO DISILVA 14151/A - 1774 | 52 | M | 16.08.2020 | Negative |
| C21680 | SUNIL RAJENDRAPRASAD NISHAD 14208/A - 1822 | 28 | M | 16.08.2020 | Negative |
| C21681 | SAGAR MADHUKAR PATIL 14169/A - 1788 | 22 | M | 16.08.2020 | Negative |
| C21682 | JANTADEVI SURENDRA BIND 14172/A - 1791 | 45 | F | 16.08.2020 | Negative |
| C21683 | PRASAD DHONDU LONDHE 14175/A - 1794 | 33 | M | 16.08.2020 | Negative |
| C21684 | SUVIDHA PRASAD LONDHE 14174/A - 1794 | 32 | F | 16.08.2020 | Negative |
| C21685 | AYUSHI PRASAD LONDHE 14177/A - 1797 | 1 | F | 16.08.2020 | Positive |
| C21686 | ANAND VITTHAL RANE 14193/A - 1813 | 43 | M | 16.08.2020 | Positive |

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)