



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	04/07/2020 17:30 pm
Date and time of reporting (dd/mm/yyyy)	06/07/2020 15:51 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C13004	TUSHAR CHANDRASHEKAR CHOPDAR	37	M	06.07.2020	Negative
C13005	SHANTANU MAHESH WAGH	23	M	06.07.2020	Negative
C13006	PRATIK MAHESH WAGH	25	M	06.07.2020	Positive
C13007	LAHANU SAKHARAM WAGH	74	M	06.07.2020	Positive
C13008	MANISH MAHESH WAGH	25	M	06.07.2020	Positive
C13009	KAVITA KAILAS KHOKALE	32	F	06.07.2020	Positive
C13010	SULBHA KRISHANKANT DHANGAR	65	F	06.07.2020	Positive
C13011	HITESH DNYANESHWAR TIVAR	29	M	06.07.2020	Positive
C13012	SACHIN MANOHAR GHUGE	34	M	06.07.2020	Positive
C13013	GOVINDA NAROTTAM KOLI	44	M	06.07.2020	Negative
C13014	NARAYAN TUKARAM BHANGARE	53	M	06.07.2020	Positive
C13015	SHIVAJI MARUTI WAGHMARE	35	M	06.07.2020	Negative
C13016	NILESH BHANUDAS MALI	28	M	06.07.2020	Positive
C13017	YOGESH SUDHAKAR PATKAR	35	M	06.07.2020	Positive
C13018	NITIN GANESH PATIL	35	M	06.07.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	04/07/2020 17:30 pm
Date and time of reporting (dd/mm/yyyy)	06/07/2020 15:51 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C13019	VISHWAS LAXMAN PATIL	35	M	06.07.2020	Positive
C13020	SARITA SUNIL MAHALUNGE	30	F	06.07.2020	Positive
C13021	SHABBIR BASIR SHAIKH	49	M	06.07.2020	Negative
C13022	KUNAL PANDURANG VEKHANDI	25	M	06.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)