



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	20/07/2020 17:15 pm
Date and time of reporting (dd/mm/yyyy)	21/07/2020 17:51 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C16643	LATA NARENDRA BORADE	54	F	21.07.2020	Negative
C16644	REENA ARVIND JAGTAP	23	F	21.07.2020	Negative
C16645	SANTOSH MAHADU BAGUL	48	M	21.07.2020	Negative
C16646	PUNDALIK DHARMA BASWANT	54	M	21.07.2020	Positive
C16647	MANJULA BALU SHELAKHE	56	F	21.07.2020	Negative
C16648	BALU KASHINATH SHELAKHE	60	M	21.07.2020	Positive
C16649	SUJATA KRUSHNAT DHANSHETTI	28	F	21.07.2020	Positive
C16650	AKASH MUKUND BHARIT	22	M	21.07.2020	Positive
C16651	KIRAN MUKUND BHARIT	20	M	21.07.2020	Negative
C16652	VIJAY SURESH PAGARE	33	M	21.07.2020	Negative
C16653	SONALI VIJAY PAGARE	30	F	21.07.2020	Negative
C16654	DR UMESH SANDU PATIL	38	M	21.07.2020	Negative
C16655	GANESH LAXMAN SHELAVALE	36	M	21.07.2020	Negative
C16656	SUNIL BHASKAR PACHGARE	43	M	21.07.2020	Negative
C16657	HARIBHAU NATHU JAGDALE	60	M	21.07.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	20/07/2020 17:15 pm
Date and time of reporting (dd/mm/yyyy)	21/07/2020 17:51 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C16658	PRASHANT SURESH ADHIKARI	38	M	21.07.2020	Positive
C16659	SURESH POPAT ADHIKARI	68	M	21.07.2020	Positive
C16660	SAMRUDDHI SUNIL JADHAV	9	F	21.07.2020	Negative
C16661	SAMIKSHA DINESH JADHAV	9	F	21.07.2020	Negative
C16662	SHITAL DINESH JADHAV	11	F	21.07.2020	Negative
C16663	ANANTA UNDARU BHERE	67	M	21.07.2020	Negative
C16664	KADAMBARI RAHUL DINKAR	5	F	21.07.2020	Negative
C16665	MANDAR RAHUL DINKAR	1	M	21.07.2020	Negative
C16666	PUDALIK KALURAM DINKAR	36	M	21.07.2020	Negative
C16667	RUGVED MANOHAR SUTAR	12	M	21.07.2020	Inconclusive (Repeat Fresh Sample)
C16668	PRACHI PAPPU GUPTA	19	F	21.07.2020	Negative
C16669	DIPANSHU PAPPU GUPTA	19	M	21.07.2020	Negative
C16670	SANJAY VAIDYANATH MISHRA	45	M	21.07.2020	Positive
C16671	RATNA DIPAK DHAMAKE	40	F	21.07.2020	Positive
C16672	KAVITA SUNIL JADHAV	32	F	21.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	20/07/2020 17:15 pm
Date and time of reporting (dd/mm/yyyy)	21/07/2020 17:51 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C16673	SANDHYA GANESH NIKALE	35	F	21.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)