



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	03/10/2020 12:45 pm
Date and time of reporting (dd/mm/yyyy)	04/10/2020 12:51 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C34378	DATTATRAY SANJAY JADHAV 17194/A - 4852	26	M	04.10.2020	Negative
C34377	HARENDRA KAILASNATH MOURYA 17185/A - 4844	23	M	04.10.2020	Negative
C34375	RUPESH RAVINDRA RUKE 17142/A - 4789	30	M	04.10.2020	Negative
C34374	RAJNISH TRINATH SINGH 49113/A - 4813	40	M	04.10.2020	Negative
C34373	KOMAL SANJAY PACHARNE 17169/A - 4821	27	F	04.10.2020	Negative
C34387	SONU DHURVA CHAUDHARI 17168/A - 4818	20	M	04.10.2020	Negative
C34386	MINAKSHI DESHRAJ SINGH 17141/A - 4790	30	F	04.10.2020	Negative
C34385	JAYPRAKASH RAJARAM MOURYA 49140/A-4851	48	M	04.10.2020	Negative
C34384	MOHAN DEVKATE 17193/A-4850	30	M	04.10.2020	Negative
C34383	DOLLY DIPAK SINGH 17153/A-4800	31	F	04.10.2020	Negative
C34381	SANTOSH HARISHACHANDRA TAMBAT 17188/A-4833	43	M	04.10.2020	Negative
C34380	WASIM KALIM KHAN 17182/A-4842	21	M	04.10.2020	Negative
C34379	RADHA BABASAHEB WAGHMARE 49144/A-4840	23	F	04.10.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)