



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	02/10/2020 18:15 pm
Date and time of reporting (dd/mm/yyyy)	03/10/2020 17:04 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Vartak Nagar , Ambedkarbhawan

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C34231	SARJU KUMAR BARSAT VI-7936	25	M	03.10.2020	Negative
C34232	PRAKASH PATIL VI-7966	70	M	03.10.2020	Negative
C34233	HEMANT CHAVAN VI-7964	35	M	03.10.2020	Negative
C34234	PREMNATH MORE VI-7957	37	M	03.10.2020	Negative
C34235	SIDDHESH MADVAL VI-7959	26	M	03.10.2020	Negative
C34236	SUMIT ANKUSH PAWAR VI-7958	32	M	03.10.2020	Negative
C34237	EKNATH GHADGE VI-7960	29	M	03.10.2020	Negative
C34238	NILESH BHALERAU VI-7961	33	M	03.10.2020	Negative
C34239	RAHUL AROTHE VI-7962	28	M	03.10.2020	Negative
C34240	MANISH BALU MEGHE VI-7963	30	M	03.10.2020	Negative
C34241	PRAJAKTA PATIL VI-7965	26	F	03.10.2020	Negative
C34242	SHAKUNTALA JANGAM VI-8171	72	F	03.10.2020	Negative
C34243	ASHWINI GAIKWAD VI-7996	33	F	03.10.2020	Negative
C34244	ARUNA NARENDRA RAO VI-8000	50	F	03.10.2020	Negative
C34245	AISHWARYA VENKATESHWARYN VI-8001	23	F	03.10.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	02/10/2020 18:15 pm
Date and time of reporting (dd/mm/yyyy)	03/10/2020 17:04 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Vartak Nagar , Ambedkarbhawan

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C34246	PRANAV RAO V-17999	24	M	03.10.2020	Negative
C34247	NIDHI PATIL V-18066	31	F	03.10.2020	Negative
C34248	NIKHIL PATIL V-18070	34	M	03.10.2020	Negative
C34249	SONAL PATIL V-18067	28	F	03.10.2020	Negative
C34250	SANKET PATIL V-18068	30	M	03.10.2020	Negative
C34251	SHRADDHA PATIL V-18069	59	F	03.10.2020	Negative
C34252	PREETI SINGH V-17997	30	F	03.10.2020	Negative
C34253	SHARAD JAIN V-18107	64	M	03.10.2020	Negative
C34254	KARISHMA JAIN V-18106	32	F	03.10.2020	Negative
C34255	RUCHA AGRAWAL	13	F	03.10.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)