



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	23/06/2020 17:30 pm
Date and time of reporting (dd/mm/yyyy)	24/06/2020 18:17 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C10300	PRATIK PRABHAKAR GAIKWAD	15	M	24.06.2020	Negative
C10301	CHANDRAMANI BHAGWAN DONDE	10	M	24.06.2020	Negative
C10302	VAIBHAV BHAGWAN DONDE	12	M	24.06.2020	Negative
C10303	BHAGWAN BHIMRAO DONDE	40	M	24.06.2020	Positive
C10304	BHIMRAO BHAGAJI DONDE	75	M	24.06.2020	Negative
C10305	MALAN ANANDA DONDE	45	F	24.06.2020	Positive
C10306	MEERABAI SITARAM OKHORE	55	F	24.06.2020	Positive
C10307	HARSHALA PANDIT ADOLE	16	F	24.06.2020	Positive
C10308	DHANAJI MALU AAGIWALE	43	M	24.06.2020	Positive
C10309	KANTILAL PANDURANG HAJARE	42	M	24.06.2020	Positive
C10310	GANESH KISAN PADWAL	35	M	24.06.2020	Positive
C10311	VIJAY JANU SHELAR	49	M	24.06.2020	Positive
C10312	PAYAL VIJAY FODSE	24	F	24.06.2020	Positive
C10313	VARSHA VIJAY FODSE	47	F	24.06.2020	Negative
C10314	NAMDEV SITARAM PATIL	45	M	24.06.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	23/06/2020 17:30 pm
Date and time of reporting (dd/mm/yyyy)	24/06/2020 18:17 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C10315	BALKRUSHNA AMRUTA SHEDGE	38	M	24.06.2020	Positive
C10316	RAVINDRA DNYANESHWAR POTE 584	43	M	24.06.2020	Positive
C10317	NAJANIN PARVEZ ANSARI 642	36	F	24.06.2020	Positive
C10318	MOHAMMAD YUSUF ANSARI 647	67	M	24.06.2020	Positive
C10319	SAIDA YUSUF ANSARI 643	57	F	24.06.2020	Positive
C10320	ABDUR REHMAN PARVEZ	2.5	M	24.06.2020	Negative
C10321	ZAINAB PARVEZ ANSARI	6	F	24.06.2020	Negative
C10322	PADMA SHASHIKANT GAIKWAD 627	65	F	24.06.2020	Positive
C10323	SHAHSHIKANT SHANKARRAO GAIKWAD 626	67	M	24.06.2020	Positive
C10324	TANAY SHASHIKANT GAIKWAD 624	29	M	24.06.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)