



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	19/06/2020 11:30 am
Date and time of reporting (dd/mm/yyyy)	20/06/2020 12:14 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C9440	DEEPAK MAHADIK 8984	38	M	20.06.2020	Positive
C9442	PRIYANKA JADHAV 8988	28	F	20.06.2020	Positive
C9445	RAVINDRA YADAV 9006	50	M	20.06.2020	Positive
C9446	UJWALA YADAV 9007	40	F	20.06.2020	Positive
C9454	BHANUDAS SANGARE 8996	55	M	20.06.2020	Positive
C9459	SUBHASH BOLKE 9024	53	M	20.06.2020	Positive
C9462	SANJAY PAWAR 8938	52	M	20.06.2020	Positive
C9463	SMITA VILAS WARIK 9005	40	F	20.06.2020	Positive
C9562	FAROOQ ABDUL GAFAR MENON 9103	59	M	20.06.2020	Positive
C9563	SURESH AMBAJI BHISE 9064	48	M	20.06.2020	Positive
C9564	SANGRAM MOHAN SHARNATHE 9065	34	M	20.06.2020	Positive
C9565	RAHUL YASHWANT GORDE 9063	30	M	20.06.2020	Positive
C9566	KISHOR SHIVAJI SALUNKHE 9057	44	M	20.06.2020	Positive
C9567	POPAT VITTHAL PATIL 9079	65	M	20.06.2020	Negative
C9568	DR SHARADA LAXMAN WARPE 9082	29	F	20.06.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	19/06/2020 11:30 am
Date and time of reporting (dd/mm/yyyy)	20/06/2020 12:14 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C9569	UJWALA RAMBHAU CHAUDHARI 8217	36	F	20.06.2020	Negative
C9570	MAHIPAT RAMBHAU MHASKE 8491	52	M	20.06.2020	Negative
C9571	OMKAR MOHAN NAIK 9053	21	M	20.06.2020	Negative
C9572	DR MONAL KANDELKAR 9081	30	F	20.06.2020	Negative
C9573	DATTATRAYA MADHUKAR KOLI 9062	35	M	20.06.2020	Positive
C9574	DEVANAND SAHEBRAO REWASKAR 8749	31	M	20.06.2020	Negative
C9575	SHAILESH JAYENDRA THAKKAR 9083	36	M	20.06.2020	Negative
C9576	HINA JALAMSINGH VASAVE 9095	27	F	20.06.2020	Positive
C9577	VISHAL SUNIL GAIKWAD 9042	22	M	20.06.2020	Positive
C9578	RANJITA SUSHIL KARKERA 9051	35	F	20.06.2020	Positive
C9579	ARUN SHRIPATI GOSAVI 9041	30	M	20.06.2020	Negative
C9583	DATTATRAY NAMDEV CHAVHAN 9040	24	M	20.06.2020	Negative
C9584	RANGANATH NIVRUTTI AMBEKAR 8061	40	M	20.06.2020	Negative
C9585	S/N MANISHA RAVINDRA WANI 9036	42	F	20.06.2020	Positive
C9586	SAGAR SADANAND SHRIVARDHANKAR 35349	36	M	20.06.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	19/06/2020 11:30 am
Date and time of reporting (dd/mm/yyyy)	20/06/2020 12:14 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C9587	PRAKASH GANGARAM WAGHMARE 9044	70	M	20.06.2020	Negative
C9588	DEEPAK JAYRAM KAMDJI 9043	28	M	20.06.2020	Negative
C9589	MUNNA MAHADEV GUPTA 9049	54	M	20.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)