



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	15/06/2020 14:30 pm
Date and time of reporting (dd/mm/yyyy)	16/06/2020 19:07 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HORIZONE SCHOOL


Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C8781	BABLUVAD SONAWNE	52	M	16.06.2020	Negative
C8782	RAVINDRA MALI	74	M	16.06.2020	Negative
C8783	EKNATH BHOSLE	31	M	16.06.2020	Negative
C8784	YOGESH CHINGALKAR	47	M	16.06.2020	Negative
C8785	RAMRUKSHA JAISWAL	49	M	16.06.2020	Negative
C8786	RAMAWADH BIND	62	M	16.06.2020	Negative
C8787	PRASANGJEET SUTRATHAR	27	M	16.06.2020	Negative
C8788	SHIVAJI SHINDE	33	M	16.06.2020	Negative
C8789	SUJATA SACHIN JADHAV	40	F	16.06.2020	Negative
C8790	RAVI KARI	25	M	16.06.2020	Negative
C8801	MUKUND KSHRSAGAR	44	M	16.06.2020	Negative
C8802	NAYNA KADAM	26	F	16.06.2020	Negative
C8803	JYOTSANA BHADGUJAR	57	F	16.06.2020	Negative
C8804	MOHIT AMBAVADE	35	M	16.06.2020	Negative
C8805	MANGESH SADLEKAR	45	M	16.06.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by

Dr. Shalmali Dharma Ph. D

  
Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	15/06/2020 14:30 pm
Date and time of reporting (dd/mm/yyyy)	16/06/2020 19:07 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HORIZONE SCHOOL

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C8806	NAMRATA JADHAV	38	F	16.06.2020	Positive
C8807	BHARATI NIKAM	35	F	16.06.2020	Negative
C8808	NITESH JADHAV	32	M	16.06.2020	Negative
C8809	DEEPAK BHATGUJAR	40	M	16.06.2020	Negative
C8791	MANJU SONY	33	F	16.06.2020	Negative
C8792	NATHURAM SONKAR	48	M	16.06.2020	Negative
C8793	ANANTA KAMBLE	47	M	16.06.2020	Negative
C8794	NANDU SHINDE	35	M	16.06.2020	Negative
C8795	MARUTI SAVANT	44	M	16.06.2020	Negative
C8796	LAVESH UTEKAR	36	M	16.06.2020	Negative
C8797	SUHAS PATIL	48	M	16.06.2020	Negative
C8798	RAJU GAIKWAD	50	M	16.06.2020	Negative
C8799	UMESH YADAV	25	M	16.06.2020	Negative
C8800	SHARADA GHOSHAWALE	60	F	16.06.2020	Negative
C8810	PRANALI MANCHEKAR	25	F	16.06.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by

Dr. Shalmali Dharma Ph. D

  
Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**

**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	15/06/2020 14:30 pm
Date and time of reporting (dd/mm/yyyy)	16/06/2020 19:07 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HORIZONE SCHOOL

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C8811	JOGENDER GUPTA	35	M	16.06.2020	Negative
C8812	NITIN DIKSHIT	38	M	16.06.2020	Negative
C8813	GULABPANDIT SAGAM SHIV	51	M	16.06.2020	Negative
C8814	ROHIT THASAL	27	M	16.06.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)