

## NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

## COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

## **Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	25/07/2020 14:30 pm	
Date and time of reporting (dd/mm/yyyy)	26/07/2020 16:49 pm	
SPECIMEN DETAILS	Nasopharyngeal Swab	
NAME OF QUARANTINE CENTER / HOSPITAL	KASARVADAVALI	

01- 10	Define None	A (V)	0	Data of assure to the or	0400 0-1/0
Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C17798	MOHHAMAD ZUBAIR	27	М	26.07.2020	Negative
C17799	HUSSAIN SAIFUDIN PATAWALA	42	М	26.07.2020	Negative
C17800	RAIS AHMED VAKIL	47	М	26.07.2020	Negative
C17801	ZUBAIR AHMED IZHARUL HAQ	63	М	26.07.2020	Negative
C17802	BHARAT YADAV	30	М	26.07.2020	Negative
C17803	RAMESH GOVIND SONAR	40	М	26.07.2020	Negative
C17804	SHIVAJI KALURAM SONAR	35	М	26.07.2020	Negative
C17805	SATISH JAGDISH NAIDU	23	М	26.07.2020	Negative
C17806	GAYAS BASHIR AHMED BALOCH	50	M	26.07.2020	Negative
C17807	SHAGUL AMID SAYAD	34	M	26.07.2020	Negative
C17808	KHAN FAIZAN SAYAD	31	M	26.07.2020	Negative
C17809	ALMAS SHAIKH	32	F	26.07.2020	Negative
C17810	FAUZIYA MUKADDAM	38	F	26.07.2020	Negative
C17811	SHAIKH FIROZ	31	М	26.07.2020	Negative
C17812	GANGADHAR KALE	53	М	26.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional
  testing if required.\*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shauro Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)