

# NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

## COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

#### **Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	12/06/2020 11:00 am
Date and time of reporting (dd/mm/yyyy)	13/06/2020 14:52 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C8199	KISAN KHANDEKAR 8188	35	М	13.06.2020	Negative
C8200	SANTOSH KADAM 8049	37	М	13.06.2020	Negative
C8201	MAHESH NIVRUTI TOTRE 8065	27	М	13.06.2020	Negative
C8203	CHANDRAKANT JADHAV 8175	29	М	13.06.2020	Negative
C8204	NAVNATH MANDRE 7996	45	М	13.06.2020	Positive
C8205	JAY SHIVAJI JAYBHAYE 8118	50	M	13.06.2020	Negative
C8206	SHALAN MANDRE 7997	41	F	13.06.2020	Positive
C8207	SONAL KEDAR 8041	25	F	13.06.2020	Negative
C8208	ARUN TIWARI 7264	41	М	13.06.2020	Negative
C8209	BASANTI DILARE 8170	50	F	13.06.2020	Negative
C8210	KESU KOMALRAM DILARE 8001	30	M	13.06.2020	Negative
C8211	PARSU SONAWANE 8111	29	M	13.06.2020	Negative
C8212	VAISHALI KALELKAR 8194	33	F	13.06.2020	Negative
C8213	GENBHAU KHURADE 8000	79	М	13.06.2020	Positive
C8214	MOHAMMAD ALI SHAIKH 7948	68	М	13.06.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.\*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shawo Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)



## NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

### COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

#### **Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	12/06/2020 11:00 am
Date and time of reporting (dd/mm/yyyy)	13/06/2020 14:52 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C8215	POOJA KAKAD 8099	23	F	13.06.2020	Positive
C8216	BHAGYASHREE MANE 8116	28	F	13.06.2020	Positive
C8217	PRABHAKAR PARAB 8056	73	М	13.06.2020	Positive
C8220	SAGAR SURYAVANSHI 8200	33	М	13.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.\*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shauro Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)