



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	15/08/2020 14:10 pm
Date and time of reporting (dd/mm/yyyy)	15/08/2020 19:58 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HORIZONE SCHOOL

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C21893	NAMDEV DEVE	33	M	15.08.2020	Negative
C21909	VIRENDRA CHAVAN	35	M	15.08.2020	Negative
C21901	RAHUL CHAVAN	19	M	15.08.2020	Negative
C21891	VISHAL SHARMA	22	M	15.08.2020	Negative
C21913	HARIRAM	35	M	15.08.2020	Negative
C21906	ABDUL SALAM	24	M	15.08.2020	Negative
C21887	SURESH	35	M	15.08.2020	Negative
C21918	RAJKISHAN	30	M	15.08.2020	Negative
C21919	PINTU YADAV	34	M	15.08.2020	Negative
C21882	JAKRIYA RAYTA	27	M	15.08.2020	Negative
C21896	ROSHAN BABU	30	M	15.08.2020	Negative
C21898	SHYAM SHARMA	19	M	15.08.2020	Negative
C21899	VILAS DEVE	20	M	15.08.2020	Positive
C21895	HARISH HATIK	31	M	15.08.2020	Positive
C21892	RAMCHANDRA	42	M	15.08.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	15/08/2020 14:10 pm
Date and time of reporting (dd/mm/yyyy)	15/08/2020 19:58 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HORIZONE SCHOOL

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C21903	SONUKUMAR	22	M	15.08.2020	Positive
C21889	DUBKAN	41	M	15.08.2020	Negative
C21888	MOHAMMED	34	M	15.08.2020	Negative
C21885	MO SOUDAGAR	24	M	15.08.2020	Positive
C21907	MO INTIYAZ	26	M	15.08.2020	Negative
C21890	MAJNUKUMAR	28	M	15.08.2020	Negative
C21921	RAKESH KUMAR	26	M	15.08.2020	Negative
C21917	RAJU SAHANI	27	M	15.08.2020	Negative
C21884	SONU SAHANI	20	M	15.08.2020	Positive
C21908	RAJU KUMAR	37	M	15.08.2020	Negative
C21912	BIHARI SAHANI	26	M	15.08.2020	Negative
C21880	PRAMOD KUMAR	19	M	15.08.2020	Positive
C21920	MANGAL PRASAD	20	M	15.08.2020	Negative
C21905	AJAY BAHAL	20	M	15.08.2020	Negative
C21886	VINOD KUMAR	28	M	15.08.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	15/08/2020 14:10 pm
Date and time of reporting (dd/mm/yyyy)	15/08/2020 19:58 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HORIZONE SCHOOL

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C21904	SHRIRAM MOURYA	26	M	15.08.2020	Negative
C21900	RANJIT SINHA	30	M	15.08.2020	Negative
C21916	SANJAY RAVIDAS	36	M	15.08.2020	Negative
C21883	BETKA	25	M	15.08.2020	Positive
C21911	VISHNU RAVIDAS	23	M	15.08.2020	Negative
C21915	ABHIJIT ROY	36	M	15.08.2020	Negative
C21914	PARITO SARKAR	48	M	15.08.2020	Negative
C21881	RAMAN ROY	30	M	15.08.2020	Positive
C21894	AVINASH	30	M	15.08.2020	Inconclusive (Repeat Fresh Sample)
C21897	AMIT KARMAKAR	30	M	15.08.2020	Negative
C21902	NITAI SARKAR	29	M	15.08.2020	Negative
C21910	DHARMENDRA PASWAN	31	M	15.08.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)