



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	18/07/2020 23:29 pm
Date and time of reporting (dd/mm/yyyy)	19/07/2020 15:22 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C16092	JAYESH VILAS KAPADE	15	M	19.07.2020	Negative
C16097	ASHWINI KARALE	27	F	19.07.2020	Negative
C16094	HARSHAD BHIKANRAO AHIRARAO	52	M	19.07.2020	Negative
C16099	MANISHA RAVINDRA WANI	43	F	19.07.2020	Negative
C16101	LALU DAS BABRE	57	M	19.07.2020	Negative
C16096	DR MONAL RAVINDRA KANDELKAR	29	F	19.07.2020	Negative
C16103	GANESH HANUMANT PAWAR	35	M	19.07.2020	Negative
C16102	PRATIBHA PRAKASH VELONDE	28	F	19.07.2020	Negative
C16093	VINOD MOHITE	43	M	19.07.2020	Negative
C16100	LOVEKIK SUDESH KAMBLI	25	M	19.07.2020	Negative
C16098	UDAY SHANKAR BHOSALE	57	M	19.07.2020	Negative
C16095	SANJAY SHANKAR PALKAR	35	M	19.07.2020	Positive
C16091	DNYANDEO S. BHOLE	65	M	19.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)