

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	14/06/2020 15:40 pm	
Date and time of reporting (dd/mm/yyyy)	15/06/2020 19:05 pm	
SPECIMEN DETAILS	Nasopharyngeal Swab	
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH	

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C8711	SURESH HARSHWAR CHAUDHARI 8297	63	М	15.06.2020	Negative
C8712	PUTUL MANISH TIWARI 8473	22	М	15.06.2020	Negative
C8713	SIDDHARTH HIRAMAN KAMBLE 8462	23	М	15.06.2020	Negative
C8714	VASANTI BHARAT PATADE 6514	74	F	15.06.2020	Positive
C8715	KAJAL SACHIN INGALE 8772	26	F	15.06.2020	Positive
C8716	SACHIN VISHNU INGALE 8441	34	М	15.06.2020	Positive
C8717	SANIKA RAJAN PARAB 6513	21	F	15.06.2020	Positive
C8718	PRANJAL SHANKAR PARAB 6515	11	F	15.06.2020	Negative
C8719	YASH PRADIP TALEKAR 8482	23	М	15.06.2020	Negative
C8720	KISHORI GANU PARAB 6511	48	F	15.06.2020	Positive
C8721	DR. SANDEEP DABADE 3171	37	М	15.06.2020	Negative
C8722	MONALI MANOJ SHINDE 34632	50	F	15.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional
 testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shauro Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)