



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	30/08/2020 11:00 am
Date and time of reporting (dd/mm/yyyy)	30/08/2020 17:26 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Civil Hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C24174	RESHMA D HARAD	24	F	30.08.2020	Positive
C24175	RAMCHANDRA DATTATRAY GHOLAP	48	M	30.08.2020	Negative
C24176	AKASH RAMCHANDRA GHOLAP	19	M	30.08.2020	Negative
C24177	MADHUKAR MARUTI DESALE	56	M	30.08.2020	Positive
C24178	RUPALI KRISHNA PAWAS	20	F	30.08.2020	Inconclusive (Repeat Fresh Sample)
C24179	RENUKA DEVIDAS RATHOD	15	F	30.08.2020	Negative
C24180	MEERA BHIDAS PAWAR	52	F	30.08.2020	Negative
C24181	SANGEETA RAMCHANDRA GHOLAP	43	F	30.08.2020	Positive
C24182	SUJATA BHIDAS PAWAR	32	F	30.08.2020	Negative
C24183	RAMCHANDRA BHAI SHINGOLE	52	M	30.08.2020	Inconclusive (Repeat Fresh Sample)
C24184	SANGEETA GOPAL AGIWALE	48	F	30.08.2020	Negative
C24185	UJWALA ANIL BANGOR	34	F	30.08.2020	Positive
C24186	GURUNATH BALARAM BHUNDERE	36	M	30.08.2020	Negative
C24187	PIUSH RAJENDRA BHOIR	12	M	30.08.2020	Negative
C24188	SONU BHIDAS PAWAS	24	M	30.08.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	30/08/2020 11:00 am
Date and time of reporting (dd/mm/yyyy)	30/08/2020 17:26 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Civil Hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C24189	MANOHAR KANTARAM CHAUDHARI	42	M	30.08.2020	Inconclusive (Repeat Fresh Sample)
C24190	SANDHYA BHALCHENDRA KAPADI	36	F	30.08.2020	Positive
C24191	JAYWANT GOVIND LATE	48	M	30.08.2020	Positive
C24192	SUSHIL SURESH MALI	32	M	30.08.2020	Negative
C24151	TUFAN NIDDHI SAHU	31	M	30.08.2020	Positive
C24152	NANDAKUMAR NAIR	70	M	30.08.2020	Positive
C24153	AMRAPALI KUMAR	29	F	30.08.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)