



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	05/06/2020 10:35 am
Date and time of reporting (dd/mm/yyyy)	05/06/2020 20:02 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C6773	VINAYAK PINGALE 7095	30	M	05.06.2020	Negative
C6774	GIRISH KARNAD 7097	50	M	05.06.2020	Negative
C6775	VISHAL SALVI 7108	36	M	05.06.2020	Negative
C6776	GANESH S MOHAN 7098	45	M	05.06.2020	Negative
C6777	AVINASH RAJBHAR 7101	17	M	05.06.2020	Negative
C6778	HARSHAL CHIKNE 6852	25	M	05.06.2020	Negative
C6779	SUNIL CHIKNE 7125	54	M	05.06.2020	Negative
C6780	NAMRATA S CHIKNE 6853	19	F	05.06.2020	Negative
C6781	SUHAS JADHAV 6838	35	M	05.06.2020	<b>Positive</b>
C6782	YOGESH KAKADE 7128	50	M	05.06.2020	Negative
C6783	RATNADEEP NIKHARE 7122	28	M	05.06.2020	Negative
C6784	SUREKHA PEDNEKAR 7114	62	F	05.06.2020	Negative
C6785	MANOJ WAHGMARE 7137	30	M	05.06.2020	Negative
C6786	DATTATRAY WAGHMARE 7138	34	M	05.06.2020	Negative
C6787	UMESH SHIRKE 7121	32	M	05.06.2020	<b>Positive</b>
C6788	RAJENDRA WAMAN SALVE 99	58	M	05.06.2020	<b>Positive</b>
C6789	KHATIJA GHULAM HUSSAIN 14869	70	F	05.06.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by  
Dr. Shalmali Dharma Ph. D

  
Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**

**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	05/06/2020 10:35 am
Date and time of reporting (dd/mm/yyyy)	05/06/2020 20:02 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C6790	ANJUM ABDUL JABBAR MOMIN 14860	40	M	05.06.2020	Negative
C6791	RAJU RAMBHAU RAJGURU 14862	50	M	05.06.2020	Negative
C6792	ARJUN LAXMAN NIKAM 100	65	M	05.06.2020	Negative
C6793	VEERA BAPTIST SEQUIRA 98	46	F	05.06.2020	Negative
C6770	GANESH LOHAR	38	M	05.06.2020	Negative
C6771	BHARAT DEVLEKAR	44	M	05.06.2020	Negative
C6772	ARVIND MANE	40	M	05.06.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)