



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	29/07/2020 11:55 am
Date and time of reporting (dd/mm/yyyy)	31/07/2020 13:14 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C18908	RAJASHREE SUNIL SURANA 13300/A - 954	55	F	31.07.2020	<b>Positive</b>
C18909	VIMAL SHIVRAM PAWAR 509/A - 973	60	F	31.07.2020	Negative
C18910	SHRADDHA MAHAJAN 39834 /A - 989	21	F	31.07.2020	Negative
C18911	JITU KANHAYA GOSWAMI 13339 / A - 1000	19	M	31.07.2020	Negative
C18912	MANGESH PRAHLAD MAHAJAN 13335 /A - 990	50	M	31.07.2020	Negative
C18913	ASHOK BABAN DHAYTADAK 13308 /A - 962	28	M	31.07.2020	Negative
C18914	SUJAY RAMESH MADHVI 13316 /A - 977	44	M	31.07.2020	<b>Positive</b>
C18915	NISHA RAMJI GUPTA 13283 / A - 921	35	F	31.07.2020	Negative
C18916	ANIKET SATISH JAGDALE 13284 / A - 910	26	M	31.07.2020	Negative
C18917	RAVINDRA BALWANT KHAIRNAR 13296 / A - 985	52	M	31.07.2020	Negative
C18918	SUNITA RAVINDRA KHAIRNAR 13295 /A - 984	48	F	31.07.2020	Negative
C18919	IBRAHIM AHMED SHIKALGAR 13290 /A - 940	66	M	31.07.2020	Negative
C18920	SHYAM MAHADEO MALDEKAR 13294/A - 938	40	M	31.07.2020	Negative
C18921	SANTOSH RAGHUNATH THAKARE 39910	58	M	31.07.2020	<b>Positive</b>
C18922	VILAS YASHWANT CHAVAN 13344	49	M	31.07.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by  
Dr. Shalmali Dharma Ph. D

  
Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	29/07/2020 11:55 am
Date and time of reporting (dd/mm/yyyy)	31/07/2020 13:14 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C18923	BACHELAL SIDDHANATH VISHWAKARMA 13312	55	M	31.07.2020	Negative
C18924	AABID MAJID SHAIKH 13303	21	M	31.07.2020	Negative
C18925	JAVED MAJID SHAIKH 13304	23	M	31.07.2020	Negative
C18926	PARMESHVAR MAHADEO SABLE 12630	33	M	31.07.2020	Negative
C18927	GANESH TARASING JADHAV 13213	29	M	31.07.2020	Negative
C18928	DR. SACHIN GAHTGE 31217	30	M	31.07.2020	Negative
C18929	DILIP NARAYAN MORE 13342 /A - 1005	56	M	31.07.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)