



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	25/07/2020 16:35 pm
Date and time of reporting (dd/mm/yyyy)	26/07/2020 16:54 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C17816	MANISHA THAKKAR	43	F	26.07.2020	Negative
C17817	SUDHIR J. THAKKAR	51	M	26.07.2020	Negative
C17818	VANSH S. THAKKAR	17	M	26.07.2020	Negative
C17819	VINADEVI VIJAY SAH	33	F	26.07.2020	Negative
C17820	PRIYANKA V. SAH	16	F	26.07.2020	Negative
C17821	AARUSH KUMAR SAH	8	M	26.07.2020	Positive
C17822	SUGANDHA V. SAH	13	F	26.07.2020	Negative
C17823	RAGNI KUMARI V. SAH	10	F	26.07.2020	Negative
C17824	JITENDRA THAHOR PATEL	53	M	26.07.2020	Negative
C17825	RUCHIKA J. PATEL	21	F	26.07.2020	Negative
C17826	ANIKET GANESH KUMAVAT	22	M	26.07.2020	Negative
C17827	PRAMOD RAMDAS MORE	39	M	26.07.2020	Negative
C17828	VIDYA P. MORE	35	F	26.07.2020	Negative
C17829	SARTHAK P. MORE	12	M	26.07.2020	Positive
C17830	ISHWARI P. MORE	7	F	26.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	25/07/2020 16:35 pm
Date and time of reporting (dd/mm/yyyy)	26/07/2020 16:54 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C17831	RUPALI BALASAHEB SAWAT	30	F	26.07.2020	Negative
C17832	AVINASH SAHAJI BHOSALE	23	M	26.07.2020	Negative
C17833	TRUPTI SOMIMATH MASKAR	22	F	26.07.2020	Negative
C17834	SURBHI BALASAHAB MASAKAR	2	F	26.07.2020	Negative
C17835	SHUBHAM S. MASKAR	1	M	26.07.2020	Negative
C17836	DEVASHISH KRISHNA BHARVADE	27	M	26.07.2020	Positive
C17837	SANTOSH B. SHETKAR	47	M	26.07.2020	Positive
C17838	ARCHANA S. DHAMANE	31	F	26.07.2020	Negative
C17839	KARUNA R. SONAR	26	F	26.07.2020	Negative
C17840	RISHIKESH G. SONAR	25	M	26.07.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)