



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	01/09/2020 12:05 pm
Date and time of reporting (dd/mm/yyyy)	02/09/2020 12:25 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C24669	CHARVAK MAHENDRA JADHAV	7	M	02.09.2020	Negative
C24641	MAHENDRA VITTHAL JADHAV	43	M	02.09.2020	Negative
C24638	SUNIL KESHAV DESLE	46	M	02.09.2020	Positive
C24639	LOKESH SAUKAPPA AMIN	52	M	02.09.2020	Positive
C24640	NIKHIL RAVINDRA GHARAT	21	M	02.09.2020	Positive
C24642	KAMLAKAR VINAYAK WANGIKAR	43	M	02.09.2020	Negative
C24643	RATNABODHI KAMLAKAR WANGIKAR	8	M	02.09.2020	Negative
C24644	ANIL VITTHAL BHERE	31	M	02.09.2020	Positive
C24645	MADHUKAR LAXMAN BANGAR	45	M	02.09.2020	Positive
C24646	PRAGATI PRAKASH BHOIR	33	F	02.09.2020	Positive
C24647	KISHOR ANANTA BHERE	34	M	02.09.2020	Positive
C24648	ASHWINI PRADIPSINGH BAGAL	33	F	02.09.2020	Positive
C24649	TUSHAR GANPAT NIKULE	33	M	02.09.2020	Positive
C24650	BHAVESH RAMCHANDRA THAKRE	26	M	02.09.2020	Positive
C24651	PUSHPA VISHNU DAMSE	35	F	02.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	01/09/2020 12:05 pm
Date and time of reporting (dd/mm/yyyy)	02/09/2020 12:25 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C24652	AJAY VISHNU DAMSE	18	M	02.09.2020	Positive
C24653	VISHNU GOVIND DAMSE	45	M	02.09.2020	Negative
C24654	AMAR VISHNU KALE	23	M	02.09.2020	Positive
C24655	PUNDALIK NAMDEV VISHE	61	M	02.09.2020	Positive
C24656	MANDAKINI PUNDALIK VISHE	56	F	02.09.2020	Positive
C24657	NIKITA NITIN VISHE	31	F	02.09.2020	Positive
C24658	VRUSHALI BHAU JADHAV	32	F	02.09.2020	Negative
C24659	POOJA BHAU JADHAV	30	F	02.09.2020	Positive
C24660	ASMITA BHAU JADHAV	28	F	02.09.2020	Positive
C24661	DIVYA PUNDLIK KIRPAN	29	F	02.09.2020	Negative
C24662	MEDHA MAHENDRA JADHAV	37	F	02.09.2020	Negative
C24663	KAVITA KISHOR GHAYWAT	49	F	02.09.2020	Negative
C24664	SANGITA BHAU JADHAV	63	F	02.09.2020	Negative
C24665	NILAM PARESH FARDE	26	F	02.09.2020	Positive
C24666	PAWANKUMAR AWDESH DUBEY	35	M	02.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	01/09/2020 12:05 pm
Date and time of reporting (dd/mm/yyyy)	02/09/2020 12:25 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C24667	JYOTI LAXMAN MOKASHI	22	F	02.09.2020	Negative
C24668	SNEHA RAMCHANDRA BHOIR	25	F	02.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)