



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**RT-PCR Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	07/09/2020 17:40 pm
Date and time of reporting (dd/mm/yyyy)	13/09/2020 15:34 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	KISAN NaGAR HEALTH CENTER

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C29159	YENKTAMA B-2546	60	F	13.09.2020	Negative
C29158	PRAYAG JAISWAL B-2553	34	M	13.09.2020	Negative
C29157	KALPANA RAZAK B-2547	35	F	13.09.2020	Negative
C29156	ROHIT KUMAR B-2524	25	M	13.09.2020	Negative
C29155	ARYAN JAISWAL B-2582	29	M	13.09.2020	Negative
C29154	N.D.NURSING B-2538	24	M	13.09.2020	Negative
C29153	RAUSHAN MALATU B-2577	36	M	13.09.2020	Negative
C29152	PRAMILA GAIKWAD B-2527	45	F	13.09.2020	Negative
C29151	LAVKUSH SAHANE B-2579	17	M	13.09.2020	Negative
C29149	DILIP SINGH B-2541	54	M	13.09.2020	Negative
C29148	SHITAL GAIKWAD B-2522	40	F	13.09.2020	Negative
C29147	PARWATI SHINDE B-2558	32	F	13.09.2020	Negative
C29146	ABDULLA SHAIKH B-2559	30	M	13.09.2020	Negative
C29145	AJAY KHEES B-2537	28	M	13.09.2020	Negative
C29144	NIRAJ KUMAR B-2535	22	M	13.09.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**RT-PCR Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	07/09/2020 17:40 pm
Date and time of reporting (dd/mm/yyyy)	13/09/2020 15:34 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	KISAN NaGAR HEALTH CENTER

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C29143	AMAL JINE B-2575	19	M	13.09.2020	Negative
C29142	ANIKUL SHAIKH B-2592	36	M	13.09.2020	Negative
C29141	SHYAM KHANNA B-2563	60	M	13.09.2020	Negative
C29140	HAQUDAUF SHAIKH B-2562	32	M	13.09.2020	Negative
C29139	MOHAMMAD SHAHID B-2523	35	M	13.09.2020	Negative
C29138	ANITA BARA B-2545	37	F	13.09.2020	Negative
C29137	PAPPU CHAUHAN B-2587	35	M	13.09.2020	Negative
C29136	SHUBHASH GUPTA B-2520	35	M	13.09.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)