



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	06/10/2020 11:50 am
Date and time of reporting (dd/mm/yyyy)	06/10/2020 18:53 pm
SPECIMEN DETAILS	Oropharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
CT249	MOHD MOMIN 17371/A5040	20	M	06.10.2020	Negative
CT250	RAJAN MAJAK MOMIN 17370/A5041	37	M	06.10.2020	Negative
CT248	JILANI ROHIM MOMIN 17369/A5039	26	M	06.10.2020	Negative
CT252	SHAKMOOL MOSIN 17372/A5047	26	M	06.10.2020	Negative
CT259	ASHOK CHAWKEKAR 49822/A5057	53	M	06.10.2020	Negative
CT256	KISHOR PATIL 49728/A5051	49	M	06.10.2020	Negative
CT251	NASSIRUDDIN MOMIN 17373/A5046	23	M	06.10.2020	Negative
CT253	AKRAM MOMIN 17372/A5048	20	M	06.10.2020	Negative
CT254	SHIKARI MOMIN 17375/A5049	26	M	06.10.2020	Negative
CT255	ANROOL MOMIN 17376/A5050	28	M	06.10.2020	Negative
CT257	RAJEEV TULSIDAS MALJI 17391/AF5055	58	M	06.10.2020	Negative
CT258	YADNESH CHOWKEKAR 49822/A5056	20	M	06.10.2020	Inconclusive (Repeat Fresh Sample)
CT266	PREMPYARE LAL SONI 17395/A5062	35	M	06.10.2020	Negative
CT265	KETAN PANDURANG SHINGRA A5054	28	M	06.10.2020	Negative
CT264	GULAM SHAIKH 17397/A5066	68	M	06.10.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	06/10/2020 11:50 am
Date and time of reporting (dd/mm/yyyy)	06/10/2020 18:53 pm
SPECIMEN DETAILS	Oropharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
CT262	SWARA KRISHNA MATRE 17388/A5063	7	F	06.10.2020	Negative
CT261	SAYALI SANJAY PATIL A5070	26	F	06.10.2020	Negative
CT247	DULAL MOMIN 17367/A5036	28	M	06.10.2020	Negative
CT267	RUSHIKESH KORDE 17405/A5072	26	M	06.10.2020	Negative
CT268	SARFARZ SHAIKH 17409/A5071	21	M	06.10.2020	Negative
CT269	BHAICHANDRA PATIL 17394/A5068	54	M	06.10.2020	Negative
CT270	TARA GHEGHAD 17402/A5077	40	F	06.10.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)