



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	05/09/2020 19:30 pm
Date and time of reporting (dd/mm/yyyy)	10/09/2020 19:29 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	KISAN NaGAR HEALTH CENTER

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C27500	KISHOR KORDE BB - 713	20	M	10.09.2020	Negative
C27499	DIPISHA LOKHANDE BB - 726	30	F	10.09.2020	Negative
C27586	SAKEEL AHMED B - 2502	16	M	10.09.2020	Negative
C27590	MANISH DANGI B - 2453	16	M	10.09.2020	Negative
C27589	SUNIL RATHOD B - 2416	46	M	10.09.2020	Positive
C27588	SAVITA CHAVAN B - 2442	62	F	10.09.2020	Positive
C27587	AKASH KHAJEKAR B - 2441	20	M	10.09.2020	Negative
C27613	PRANJALI JANGAM B-2325	34	F	10.09.2020	Positive
C27612	PRATHAM THACKER B-2352	18	M	10.09.2020	Negative
C27611	ALKA G. NAWALE B-2350	40	F	10.09.2020	Negative
C27605	LALESH NEHARKAR B-2320	34	M	10.09.2020	Negative
C27604	NAGESH DAMODAR SAWANT B-2317	31	M	10.09.2020	Negative
C27603	NANDU PATIL B-2321	50	M	10.09.2020	Negative
C27602	VARUN ALPURIA B-2318	38	M	10.09.2020	Positive
C27601	PRACHI GUPTA B-2484	12	F	10.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	05/09/2020 19:30 pm
Date and time of reporting (dd/mm/yyyy)	10/09/2020 19:29 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	KISAN NaGAR HEALTH CENTER

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C27600	NITIN PATIL B-2464	25	M	10.09.2020	Positive
C27599	ANIL K. NAIR B-2509	48	M	10.09.2020	Negative
C27598	K V DASAN B-2489	60	M	10.09.2020	Negative
C27597	UTTAM SAWANT B-2504	52	M	10.09.2020	Negative
C27596	RAMU YADAV B-2457	17	M	10.09.2020	Negative
C27550	UTTAM GULDAGADE B-2328	40	M	10.09.2020	Negative
C27549	KASHMIRA THACKER B-2351	54	F	10.09.2020	Positive
C27548	ANJANI JADHAV B-2385	27	F	10.09.2020	Negative
C27547	MAYUR JANGAM B-2324	31	M	10.09.2020	Positive
C27546	PRABHAVATI JANGAM B-2327	70	F	10.09.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)