



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	08/09/2020 16:45 pm
Date and time of reporting (dd/mm/yyyy)	16/09/2020 15:40 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C28998	K. S. NARAYANAN KK - 1584	74	M	16.09.2020	Negative
C28997	ANIL JADHAV KK - 1593	46	M	16.09.2020	Negative
C28996	PRAMILA JAISWAL KK - 1572	27	F	16.09.2020	Negative
C29035	KEYUR RATHOD K-3496	33	M	16.09.2020	Negative
C29034	RAJESH RAIBAGKER K-3481	22	M	16.09.2020	Negative
C29033	SANGEETA MORE K-3479	50	F	16.09.2020	Negative
C29032	ADITI MHADIK K-3514	17	F	16.09.2020	Negative
C29031	JYOTI LAKAMAJE K-3542	33	F	16.09.2020	Negative
C28970	RATNA SONAVANE KK - 1556	21	F	16.09.2020	Negative
C28969	AARTI GURAV KK - 1550	26	F	16.09.2020	Negative
C28968	KAMLESH PALRECHA KK - 1557	34	M	16.09.2020	Negative
C28967	VINOD YADAV KK - 1547	26	M	16.09.2020	Negative
C29020	ANUB DUBEY K-3489	35	M	16.09.2020	Negative
C29019	SUDARSHAN DAWLE K-3475	36	M	16.09.2020	Negative
C29018	BHARAT JAGTAP K-3519	45	M	16.09.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	08/09/2020 16:45 pm
Date and time of reporting (dd/mm/yyyy)	16/09/2020 15:40 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C29017	YOGESH SALUNKHE K-3517	32	M	16.09.2020	Negative
C29016	NIRMALA MORE K-3480	78	F	16.09.2020	Negative
C29015	MADHAV GHARATE K-3490	70	M	16.09.2020	Negative
C29014	SUNIL BAVASKAR K-3499	52	M	16.09.2020	Negative
C29012	GAJENDRA SONTAKE K-3476	38	M	16.09.2020	Negative
C29011	HEMA GORE K-3520	26	F	16.09.2020	Negative
C29010	UJWAL SINGH K-3491	11	M	16.09.2020	Negative
C29009	ANIL RAJ K-1583	27	M	16.09.2020	Negative
C29008	SAJI VIKE KK-1586	45	M	16.09.2020	Negative
C29007	KRUSHNA MAYEKAR KK-1592	61	M	16.09.2020	Negative
C29006	BHARAT PATEL KK-1596	45	M	16.09.2020	Positive
C29000	SURESH PRAJAPATI KK-1587	21	M	16.09.2020	Negative
C28999	AJAY SINGH KK-1590	40	M	16.09.2020	Negative
C29243	SAKSHI KADAM KK-1180	34	F	16.09.2020	Negative
C29242	DATTATRAY BUMANWAD K-3674	34	M	16.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	08/09/2020 16:45 pm
Date and time of reporting (dd/mm/yyyy)	16/09/2020 15:40 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C29241	SANTOSH WANKHEDE K-3666	49	M	16.09.2020	Negative
C29240	RAHUL JAGTAP K-3661	19	M	16.09.2020	Inconclusive (Repeat Fresh Sample)
C29239	DIVYA PILLAI K-3677	25	F	16.09.2020	Negative
C29238	VAISHALI MAHADIK K-3679	30	F	16.09.2020	Negative
C29237	KRISHNVENI AARVA K-3675	44	F	16.09.2020	Negative
C29236	SANDHYA THAKUR K-3684	42	F	16.09.2020	Negative
C29230	MANDAKINI TOTADE K-3663	56	F	16.09.2020	Negative
C29229	GORAKH SADHU K-3676	63	M	16.09.2020	Negative
C29228	LALMAUTI SINGH K-3667	60	F	16.09.2020	Negative
C29227	NAMDEV KEDAR K-3659	57	M	16.09.2020	Negative
C29226	DEEPAK RANPISE K-3671	28	M	16.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)