



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	26/09/2020 15:15 pm
Date and time of reporting (dd/mm/yyyy)	27/09/2020 20:26 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	C.R.WADIA

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C32887	VINOD PAWAR WY-600	34	M	27.09.2020	Negative
C32886	VAIBHAV THANEKAR WLL-104	45	M	27.09.2020	Positive
C32869	MANISH SUKHIJA W-6214	39	M	27.09.2020	Negative
C32870	ANKITA ASHOK MORE W-6227	46	F	27.09.2020	Negative
C32871	MADHAVI KAUSHIK W-6267	60	F	27.09.2020	Negative
C32872	VAISHALI VASANT SAKPAL W-6192	69	F	27.09.2020	Negative
C32873	SUNITA SUKHIJA W-6215	59	F	27.09.2020	Negative
C32874	ANJALI PRASAD SAHASRABUDDHE W-6259	44	F	27.09.2020	Negative
C32875	NEHA KIRAN AROSKAR W-6281	25	F	27.09.2020	Negative
C32876	SNEHA SITARAM ADHAV W-6244	28	F	27.09.2020	Negative
C32877	SUNIL KAUSHIK W-6268	63	M	27.09.2020	Negative
C32878	VASANT SAKPAL W-6193	69	M	27.09.2020	Negative
C32879	SHALAKA VISHAL KOLI W-6266	42	F	27.09.2020	Negative
C32880	ATHARVA PRASAD SAHASTRABUDDHE W-6262	19	M	27.09.2020	Negative
C32881	DEEPALI RAMESH PAWAR W-6226	37	F	27.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	26/09/2020 15:15 pm
Date and time of reporting (dd/mm/yyyy)	27/09/2020 20:26 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	C.R.WADIA

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C32882	UMESH DATTATRAY GADRE W-6191	50	M	27.09.2020	Negative
C32883	VIKRANT PARDESHI W-6264	30	M	27.09.2020	Negative
C32884	SUGANDHA SANJAY DOKE W-6222	30	F	27.09.2020	Negative
C32885	ANIL MORE W-6298	54	M	27.09.2020	Negative
C32932	GURUPRASAD JAISWAL WV-2665	60	M	27.09.2020	Negative
C32931	AAKASH CHHADWA WV-2631	25	M	27.09.2020	Negative
C32930	KUNAL RAJESH JAYSWAL WV-2630	18	M	27.09.2020	Positive
C32929	SARITA JAISWAL WV-2663	27	F	27.09.2020	Negative
C32928	NIHAL RAJESH JAISWAL WV-2655	18	M	27.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)