

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601 RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	09/09/2020 12:30 pm
Date at time of receipt of eperiment (dayming)	•
Date and time of reporting (dd/mm/yyyy)	13/09/2020 14:51 pm
Date and time of reporting (darming)	10/00/2020 1 110 1 p.11
SPECIMEN DETAILS	Nasopharyngeal Swab
	nacepilaly ingeal en al
NAME OF QUARANTINE CENTER / HOSPITAL	ROZA GARDENIA HEALTH CENTER
MAINE OF GOARANTINE SERVERY HOST HAE	NOZA CANDENIA HEAETH CENTER

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C27887	RAKSHIT DAS	2	М	11.09.2020	Negative
C27888	BALASAHEB SONAVANE	26	М	11.09.2020	Negative
C27890	SAMIR SEKH	19	М	11.09.2020	Negative
C27891	PRAVIN CHAVHAN	32	М	11.09.2020	Negative
C27892	ANITA PANCHAL	37	F	11.09.2020	Negative
C27893	NIKHIL SINGH	21	M	11.09.2020	Negative
C27894	MD ASAGAR SEKH	28	М	11.09.2020	Negative
C27895	OMKAR WAMAN	17	М	11.09.2020	Negative
C27896	SAMJAD MOMIN	21	М	11.09.2020	Negative
C27897	FATAKHANI SHABDANGAR	24	M	11.09.2020	Negative
C27898	MANTHAN WAMAN	10	М	11.09.2020	Positive
C27899	SINDHU WAMAN	68	F	11.09.2020	Negative
C27900	MEGHANSH PANCHAL	11	М	11.09.2020	Negative
C27901	SANVI SHINALKAR	2	F	11.09.2020	Positive
C27902	YATIN SHINALKAR	32	М	11.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shauro Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601 RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	09/09/2020 12:30 pm
Date and time of reporting (dd/mm/yyyy)	13/09/2020 14:51 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	ROZA GARDENIA HEALTH CENTER

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C27903	HUZEFA LASHKARWALA	34	М	11.09.2020	Negative
C27904	SANTOSH DAS	40	М	11.09.2020	Positive
C27905	RAHIM NODE	26	М	11.09.2020	Negative
C27906	TANISHKA DAS	4	F	11.09.2020	Negative
C27907	DIVYANSHU WAGH	21	М	11.09.2020	Negative
C27908	SHRINIVAS THITE	38	M	11.09.2020	Positive
C27909	SHRIYANSH THITE	11	М	11.09.2020	Negative
C27910	NARESH KANOJA	26	М	11.09.2020	Positive
C27914	SHREYA SHINALKAR	2	F	11.09.2020	Negative
C27915	RAVINDRA KOLSAKAR	63	M	11.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shauro Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)